British Birds

Index to volume 99

2006

Binding

Volumes for binding should not be sent to the publishers but direct to the binders, Blisset Bookbinders. The charge is £26.00 per volume, which includes the cost of packing and return postage (UK only). For bindings sent by overseas customers, please do not send money with your order. The full cost of binding and overseas postage will be advised by the binders prior to commencement of binding. The binding will be in the same style as in previous years, with the volume number blocked in Arabic numerals; earlier volumes can also be bound at this rate. Please complete the form on the back cover and send it with all the parts and the correct money to:

Blisset Bookbinders
Roslin Road
London W3 8DH
Telephone: 020 8992 3965

Please complete the binding form on the back cover and note that orders for binding are not to be sent to the publishers

British Birds

Volume 99

Editorial Board
Dawn Balmer, Ian Carter, Richard Chandler, Martin Collinson, Chris Kehoe, Robin Prytherch, Nigel Redman, Roger Riddington, Steve Votier

Editorial Staff
Roger Riddington (Editor)
Caroline Dudley & Peter Kennerley (Assistant Editors)

Rarities Committee
Chris Bradshaw, Phil Bristow, Lance Degnan, Martin Garner, Paul Harvey, James Lidster, John Martin, Adam Rowlands, Brian Small, John Sweeney, Colin Bradshaw (Chairman), John Marchant (Archivist), Brian Small (Museum Consultant), Chris Kehoe (RIACT Secretary), Peter Fraser (Secretary and Statistician), Reg Thorpe (Summariser and RIACT Chairman)

Behaviour Notes Panel
Will Cresswell, Ian Dawson, Jim Flegg, Ian Newton FRS, Malcolm Ogilvie, Angela Turner (Co-ordinator),

Photographic Researchers
Robin Chittenden & David Tipling

Art Consultants
Robert Gillmor & Alan Harris

Volume 99
2006

© BB 2000 Ltd

ISSN 0007-0335

British Birds Volume 99 (2006) Main contents

January

2 The 'Northern Bullfinch' invasion of autumn 2004 *Mike G. Pennington and Eric R. Meek*
25 Population estimates of birds in Great Britain and the United Kingdom *Helen Baker, David A. Stroud, Nicholas J. Aebischer, Peter A. Cranswick, Richard D. Gregory, Claire A. McSorley, David G. Noble and Mark M. Rehfisch*

February

60 An exceptional movement of Redwings across northwest England in October 2004 *Jean Roberts and Steve J. White*
67 Masked Shrike: new to Britain *Tom Glass, Alan W. Lauder, Mark Oksien and Ken D. Shaw*
71 The *BB*/BTO Best Bird Book of the Year 2005 *Roger Riddington, Dawn Balmer, Andrew Gosler, Peter Hearn, John Marchant and Robin Prytherch*
74 Report on scarce migrant birds in Britain in 2003 Part 1: American Wigeon to Wryneck *Peter A. Fraser and Michael J. Rogers*

March

118 Has the plumage of juvenile Honey-buzzard evolved to mimic that of Common Buzzard? *Daniel G. Duff*
129 Report on scarce migrant birds in Britain in 2003 Part 2: Short-toed Lark to Little Bunting *Peter A. Fraser and Michael J. Rogers*

April

174 Roosting behaviour of wintering Eurasian Bitterns in the Lee Valley *Alan Harris*
183 Species limits within the genus *Melanitta*, the scoters *Martin Collinson, David T. Parkin, Alan G. Knox, George Sangster and Andreas J. Helbig*

May

230 Laying a big egg on a little ledge: does it help a female Common Guillemot if Dad's there? *Michael P. Harris and Sarah Wanless*
236 Rufous-tailed Robin on Fair Isle: new to Britain *Deryk N. Shaw*
242 The rise and fall of the Greenland White-fronted Goose: a case study in international conservation *Tony D. Fox, David Stroud, Alyn Walsh, John Wilson, David Norriss and Ian Francis*

June

282 The importance of Southwest Greenland for wintering seabirds *David Boertmann, Anders Mosbech and Flemming Ravn Merkel*
299 Nectarivory of Palearctic migrants at a stopover site in the Sahara *Volker Salewski, Bettina Almasi and Adrian Schlageter*
306 Splitting headaches? Recent taxonomic changes affecting the British and Western Palearctic lists *Martin Collinson*

July

338 Yet even more ways to dress egss *Andrew G. Gosler*
354 Short-billed Dowitcher in Northeast Scotland: new to Britain *Dave Pullan*
361 White-throated Robin on Skokholm: new to Britain *David Thelwell*

August

394 Fea's Petrel off Scilly: new to Britain *Ashley Fisher and Bob Flood*
401 Fea's Petrel in the Western Approaches *James S. Lees*
404 From the Rarities Committee's files: Do we know what British 'soft-plumaged petrels' are? *Jimmy Steele*
420 An unlikely survivor: the peculiar natural history of the Raso Lark *Paul F. Donald and M. de L. Brooke*
431 Bird Photograph of the Year 2006 *Richard Chandler, Tim Appleton, Robin Chittenden, David Hosking and David Tipling*

September

450 American Black Tern at Weston-super-Mare: new to Britain *R. M. Andrews, R. J. Higgins and J. P. Martin*
460 A review of the 1950–57 British rarities *D. I. M. Wallace, Colin Bradshaw and M. J. Rogers*
465 Time to get rid of the Moustache: a review of British records of Moustached Warbler *Tim Melling*

October

506 Occurrences of Gray's Grasshopper Warbler in Europe, including a further case of Meinertzhagen fraud *Peter R. Kennerley and Robert P. Prŷs-Jones*
517 Siberian Blue Robin at Minsmere: new to Britain *Kieran Foster*
521 Drinking and bathing by birds in a garden *Christopher F. Mason and Sheila M. Macdonald*

November

546 Important Bird Areas of the United Arab Emirates *Simon Aspinall and Peter Hellyer*
562 Patterns of nest attendance by a pair of Parrot Crossbills *Ron W. Summers*
569 Northbound migrant raptors in June and July at the Strait of Gibraltar *Ernest F. J. Garcia and Keith J. Bensusan*

December

602 The boundaries of the Palearctic region *Kees (C. S.) Roselaar*
619 Racial identification and assessment in Britain: a report from the RIACT subcommittee *Chris Kehoe*

Index to volume 99

Compiled by M. A. Ogilvie

Entries are in single list with reference to:

(1) every significant mention of each species, not only in titles, but also within the text of papers, notes and letters, including all those appearing in such lists as the 'Report on rare birds in Great Britain in 2004' and the 'Report on scarce migrant birds in Britain in 2003' but excluding those in 'Recent reports', requests and reviews;

(2) scientific nomenclature under generic name only and following *The 'British Birds' List of Birds of the Western Palearctic* (see www.britishbirds.co.uk/bblist.htm);

(3) authors of all papers, notes, reviews and letters, and photographers; papers and notes are referred to by their titles, other contributions as 'letter on', 'review of', etc.;

(4) a few subject headings, e.g. 'Announcements', 'Breeding', 'Conservation research news', 'Field characters', 'Food and feeding behaviour', 'News and comment', 'Rarities Committee', 'Recent reports', 'Roosting', and 'Voice';

(5) 'Reviews', which are listed together in alphabetical order of authors reviewed.

Accipiter gentilis, see Goshawk, Northern
—— *nisus*, see Sparrowhawk, Eurasian
Acolina, P., photograph of Short-toed Eagle and Yellow-legged Gull, 570, plate 313
Acrocephalus agricola, see Warbler, Paddyfield
—— *arundinaceus*, see Warbler, Great Reed
—— *australis*, see Warbler, Australian Reed
—— *brevipennis*, see Warbler, Cape Verde
—— *dumetorum*, see Warbler, Blyth's Reed
—— *griseldis*, see Warbler, Basra Reed
—— *melanopogon*, see Warbler, Moustached
—— *orientalis*, see Warbler, Oriental Reed
—— *paludicola*, see Warbler, Aquatic
—— *palustris*, see Warbler, Marsh
—— *schoenobaenus*, see Warbler, Sedge
—— *scirpaceus*, see Warbler, Reed
—— *stentoreus*, see Warbler, Clamorous Reed
Actitis hypoleucos, see Sandpiper, Common
—— *macularius*, see Sandpiper, Spotted
Aebischer, N. J., see Baker, H., *et al.*
Aegithalos caudatus, see Tit, Long-tailed
—— *bonvaloti*, see Tit, Black-browed
Aethia psittacula, see Auklet, Parakeet
Agostini, N., see Panuccio, M.
——, ——, see Panuccio, M., *et al.*
Aix galericulata, see Duck, Mandarin
Alaemon alaudipes, see Lark, Hoopoe
Alauda arvensis, see Lark, Sky
—— *razae*, see Lark, Raso
Albatross, Black-browed, recent taxonomic changes, 308
Alca torda, see Razorbill
Alcedo atthis, see Kingfisher, Common
Alectoris barbara, see Partridge, Barbary
—— *rufa*, see Partridge, Red-legged
Alle alle, see Auk, Little
Almasi, B., see Salewski, V., *et al.*
Alopochen aegyptiaca, see Goose, Egyptian
Amar, A., see Conservation research news
Ammomanes cinctura, see Lark, Bar-tailed Desert
Anas acuta, see Pintail, Northern
—— *americana*, see Wigeon, American
—— *carolinensis*, see Teal, Green-winged
—— *clypeata*, see Shoveler
—— *crecca*, see Teal, Eurasian
—— *discors*, see Teal, Blue-winged
—— *penelope*, see Wigeon, Eurasian
—— *platyrhynchos*, see Mallard
—— *querquedula*, see Garganey
—— *strepera*, see Gadwall
Andrews, R. M., *et al.*, American Black Tern at Weston-super-Mare: new to Britain, 450–9, plates 231–45
Announcements: 52–53
Anous stolidus, see Noddy, Brown
Anser albifrons, see Goose, White-fronted
—— *anser*, see Goose, Greylag
—— *brachyrhynchus*, see Goose, Pink-footed
—— *caerulescens*, see Goose, Snow
—— *fabalis*, see Goose, Bean
Anthus campestris, see Pipit, Tawny
—— *cervinus*, see Pipit, Red-throated
—— *godlewskii*, see Pipit, Blyth's
—— *gustavi*, see Pipit, Pechora
—— *hodgsoni*, see Pipit, Olive-backed
—— *petrosus*, see Pipit, Rock
—— *pratensis*, see Pipit, Meadow
—— *richardi*, see Pipit, Richard's
—— *rufulus*, see Pipit, Paddyfield
—— *similis*, see Pipit, Long-billed
—— *spinoletta*, see Pipit, Water
—— *trivialis*, see Pipit, Tree
Appleton, T., see Chandler, R., *et al.*
Apus apus, see Swift, Common
—— *melba*, see Swift, Alpine
—— *pallidus*, see Swift, Pallid
Aquila chrysaetos, see Eagle, Golden
—— *fasciata*, see Eagle, Bonelli's
—— *pennata*, see Eagle, Booted
Archer, M. G., Common Chiffchaff feeding juvenile Wrens, 268; Eurasian Nuthatches feeding on Hawthorn berries, 369; Bar-tailed Godwit feeding on carrion, 576
Ardea alba, see Egret, Great White
—— *cinerea*, see Heron, Grey
—— *purpurea*, see Heron, Purple
Ardeola ralloides, see Heron, Squacco
Arenaria interpres, see Turnstone
Ash, A., photograph of Greenish Warbler, 544, plate 294
Ashton-Booth, J., see Panuccio, M., *et al.*
Asio flammeus, see Owl, Short-eared

—— *otus*, see Owl, Long-eared
Aspinall, S., and Hellyer, P., Important Bird Areas of the United Arab Emirates, 546–61, plates 295–310
Athene noctua, see Owl, Little
Auk, Little, numbers wintering in Southwest Greenland, 282–98; occurrence of race *polaris* in Britain, 641
Auklet, Parakeet, recent taxonomic changes, 312
Avocet, population estimate in Great Britain and the United Kingdom, 25–44
Aythya affinis, see Scaup, Lesser
—— *collaris*, see Duck, Ring-necked
—— *ferina*, see Pochard, Common
—— *fuligula*, see Duck, Tufted
—— *marila*, see Scaup, Greater
Azzopardi, J., a review of the status of Black-eared Wheatear in the Maltese Islands, 484–9, plates 254–7

Babbler, Common, change to spelling of scientific name, 320
——, Fulvous, change to spelling of scientific name, 320
Bachmeier, G., photograph of Eagle Owl, 48, plate 16; of Common Buzzard, 118, 128, plates 47, 57; of Eurasian Bittern, 182, plate 84
Baker, H., *et al.*, Population estimates of birds in Great Britain and the United Kingdom, 25–44
Ballance, D., review of McMillan: *Skye Birds*, 162; review of Armstrong: *Time to Stare: wildlife in a corner of Britain*, 378; of Lang: *Atlas des Oiseaux de Normandie en Hiver*, 379; county and local bird reports in Britain & Ireland: an update, 492–5
Balmer, D., review of Glenn: *Best Birdwatching Sites in Norfolk*, 586
——, ——, see Riddington, R., *et al.*
Barlow, N., obituary of John Duncan Wood, 387–8
Barn Owl Trust, photographs of Barn Owl, 210–11, plates 93–94
Bartramia longicauda, see Sandpiper, Upland
Baston, B., photograph of Pallas's Leaf Warbler, 136, plate 60; of Black-necked Grebe, 164, plate 69; of Lesser Grey Shrike, 448, plate 230; review of Tipling: *The Birdwatcher's Guide to Digital Photography*, 648–9; photograph of 'Northern Long-tailed Tit', 639, plate 355
Baxter, P., photograph of Greenish Warbler, 544, plate 293; of Pechora Pipit, 596, plate 325; of Lanceolated Warbler, 597, plate 328
BB/BTO Best Bird Book of the Year 2005, 71–73
Bee-eater, Blue-cheeked, recent taxonomic changes, 312
——, Blue-tailed, recent taxonomic changes, 312
——, European, photograph, 448, plate 229
——, Olive, recent taxonomic changes, 312
Bellingham, G., photographs of Fea's Petrel, 402, plates 200–2; of Blyth's Pipit, 657, plate 364; of American Robin, 660, plate 371
Bensusan, K. J., see Garcia, E. F. J.
Betton, K., review of Moss: *Everything You Always Wanted to Know About Birds… But Were Afraid to Ask!*, 217; of Gibson: *The Bedside Book of Birds: an avian compendium*, 218; of Isenmann: Oiseaux de Tunisie, 162; of Ranft: *Bird Mimicry* (CD), 380; of Gregory: *The Birds of the State of Kuwait*, 585–6
Bird Photograph of the Year 2006, 431–40, plates 213–23
Bittern, American, British record in 1953 no longer considered acceptable, 460–4
——, Dwarf, recent taxonomic changes, 309
——, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; roosting behaviour in the Lee Valley, 174–82, plates 79–84
Blackbird, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 526, plate 280
Blackcap, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 314; photograph, 529, plate 281; taking nectar on autumn migration in Shetland, 579–80
Bloomfield, A., the killing of a young Shelduck by a Tufted Duck, 153; hunting technique used by Eurasian Sparrowhawk attempting to catch a Common Swift, 368
Bluetail, Red-flanked, photograph, 658–9, plates 367–8
Bluethroat, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 133; occurrence of race *cyanecula* in Britain, 641–2, plate 356
Boertmann, D., *et al.*, the importance of Southwest Greenland for wintering seabirds, 282–98, plates 141–51
Bombycilla garrulus, see Waxwing
Booth, C. J., and Ellis, P. M., Common Eiders and Common Guillemots taken by Killer Whales, 533
Botaurus lentiginosus, see Bittern, American
—— *stellaris*, see Bittern, Eurasian
Bourne, W. R. P., letter on the former status of the Great Bustard, 204–5; letter on the original occurrence of influenza A/chicken/Scotland/59 (alias H5N1), 262–3
Boustead, I., photograph of Long-billed Pipit, 605, plate 339
Brachyramphus marmoratus, see Murrelet, Marbled
—— *perdix*, see Murrelet, Long-billed
Bradshaw, C., see Wallace, D. I. M., *et al.*
Brambling, population estimate in Great Britain and the United Kingdom, 25–44
Branta bernicla, see Goose, Brent
—— *canadensis*, see Goose, Greater Canada
—— *hutchinsii*, see Goose, Lesser Canada
—— *leucopsis*, see Goose, Barnacle
—— *ruficollis*, see Goose, Red-breasted
Breeding: Greylag Goose, 365, plate 176; Moorhen, 206; Common Tern, 155–7; Common Guillemot, 230–35, plates 102–10; European Nightjar, 267; Great Spotted Woodpecker, 157; Great Tit, 338–53, plates 166–72; Marsh Tit, 211–12; Common Chaffinches, 535; Parrot Crossbills, 562–8, plates 311–12
Brock, J., Mistle Thrush defending berries from Waxwings, 158–9
——, ——, and J., letter on Griffon Vultures threatened by EU legislation?, 374–5
Brooke, M. de L., see Donald, P. F.
Brooks, R., photograph of British Bullfinch, 10, plate 11; of Houbara Bustard, 309, plate 155
Broughton, R. K., an example of polygyny in the Marsh Tit, 211–12
Brown, J. G., see Loughran, M. F. E.
Bubo bubo, see Owl, Eagle
—— *scandiacus*, see Owl, Snowy
—— *zeylonensis*, see Owl, Brown Fish
Bubulcus ibis, see Egret, Cattle
Bucephala clangula, see Goldeneye, Common
Buchanan, G., see Conservation research news
Bulbul, Common, eating African Desert Locusts, 491
Bullfinch, invasion of 'Northern' birds in autumn 2004, 2–24, plates 1–15; population estimate in Great Britain and the United Kingdom, 25–44; calls of 'Northern' birds, 370–1; occurrence of race *pyrrhula* in Britain, 642
Bullock, J., Barn Owl killed and eaten by Common Buzzard, 578
Bunting, Black-headed, identification, 111–12, plate 38; photograph, 600, plate 336
——, Cirl, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 318
——, Corn, population estimate in Great Britain and the United Kingdom, 25–44; recent marked decline in Corn Bunting numbers in northeast Essex, 213–14, plates 95–97; recent taxonomic changes, 319

——, House, recent taxonomic changes, 319
——, Lapland, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 641
——, Little, numbers in Britain in 2003, 129, 147; British records in 1956 no longer considered acceptable, 460–4
——, Ortolan, numbers in Britain in 2003, 129, 146
——, Pine, photograph, 58, plate 28; change to spelling of scientific name, 320
——, Reed, population estimate in Great Britain and the United Kingdom, 25–44
——, Snow, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 641
——, Striolated, recent taxonomic changes, 319
——, Yellow-breasted, photograph, 600, plate 335
Burhinus oedicnemus, see Stone-curlew
Bustard, Great, former status, 204–5
——, Houbara, recent taxonomic changes, 309–10, plate 155
——, Macqueen's, recent taxonomic changes, 309–10; the identity of MacQueen, 375
Buteo buteo, see Buzzard, Common
—— *lagopus*, see Buzzard, Rough-legged
—— *rufinus*, see Buzzard, Long-legged
Butorides striata, see Heron, Striated
—— *virescens*, see Heron, Green-backed
Button-quail, Small, change to spelling of scientific name, 320
Buzzard, Common, population estimate in Great Britain and the United Kingdom, 25–44; plumage mimicked by that of juvenile Honey-buzzard, 118–28, plates 47–48, 54, 56–57; killing and eating Barn Owl, 578; racial identification and assessment in Britain, 626
——, Long-legged, eating African Desert Locusts, 491
——, Rough-legged, numbers in Britain in 2003, 75, 81–82; racial identification and assessment in Britain, 626

Calandrella brachydactyla, see Lark, Short-toed
Calcarius lapponicus, see Bunting, Lapland
Calidris alba, see Sanderling
—— *alpina*, see Dunlin
—— *bairdii*, see Sandpiper, Baird's
—— *canutus*, see Knot, Red
—— *ferruginea*, see Sandpiper, Curlew
—— *fuscicollis*, see Sandpiper, White-rumped
—— *himantopus*, see Sandpiper, Stilt
—— *maritima*, see Sandpiper, Purple
—— *mauri*, see Sandpiper, Western
—— *melanotos*, see Sandpiper, Pectoral
—— *minuta*, see Stint, Little
—— *minutilla*, see Sandpiper, Least
—— *pusilla*, see Sandpiper, Semipalmated
—— *temminckii*, see Stint, Temminck's
Calonectris diomedea, see Shearwater, Cory's
Campbell, L., see Conservation research news
Capercaillie, population estimate in Great Britain and the United Kingdom, 25–44
Caprimulgus europaeus, see Nightjar, European
Carduelis cabaret, see Redpoll, Lesser
—— *cannabina*, see Linnet
—— *carduelis*, see Goldfinch
—— *chloris*, see Greenfinch
—— *flammea*, see Redpoll, Common
—— *flavirostris*, see Twite
—— *hornemanni*, see Redpoll, Arctic
—— *spinus*, see Siskin
Carpodacus erythrinus, see Rosefinch, Common
Carter, J., photograph of Brünnich's Guillemot, 55, plate 21; of Lesser Scaup, 114, plate 41; of 'Black-throated Thrush', 171, plates 75–76; of Blue-winged Teal, 333, plate 159; of Eurasian Scops Owl, 447, plate 228; of Red-backed Shrike, 504, plate 268; of Pectoral Sandpiper, 594, plate 321; of 'Black-headed Wagtail', 632, plate 351; of Canada Warbler, 662, plate 377
Catharus guttatus, see Thrush, Hermit
—— *minimus*, see Thrush, Grey-cheeked
Catley, G., review of Pitches & Cleeves: *Birds New to Britain*, 98–99; photograph of Sora, 227, plate 99; of Arctic Redpoll, 278, plate 138; of Common Quail, 389, plate 185; of Black-winged Stilt, 390, plate 188; of White-winged Black Tern, 391, plate 189; of 'Caspian Gull', 503, plate 265; of Tree Pipit, 532, plate 283; of Red-breasted Goose and Dark-bellied Brent Goose, 655, plate 358
Cecropis daurica, see Swallow, Red-rumped
Cepphus grylle, see Guillemot, Black
Cercotrichas galactotes, see Robin, Rufous Bush
Certhia familiaris, see Treecreeper, Eurasian
Cettia cetti, see Warbler, Cetti's
Chaffinch, Common, population estimate in Great Britain and the United Kingdom, 25–44; males apparently trying to mate with incapacitated female, 535; racial identification and assessment in Britain, 640
Chaimarrornis leucocephalus, see Redstart, White-capped Water
Chandler, R., photographs of Ringed Plover, 340, plates 167–8; of Black-eared Wheatear, 486–7, plates 254, 256; review of Message & Taylor: *Waders of Europe, Asia and North America*, 495–6; photograph of Least Sandpiper, 593, plate 318; of Wilson's Phalarope, 595, plate 323
——, ——, *et al.*, Bird Photograph of the Year, 2006, 431–40, plates 213–23
Charadrius alexandrinus, see Plover, Kentish
—— *dubius*, see Plover, Little Ringed
—— *hiaticula*, see Plover, Ringed
—— *morinellus*, see Dotterel
—— *vociferus*, see Killdeer
Chiatante, G., see Panuccio, M., *et al.*
Chiffchaff, Common, population estimate in Great Britain and the United Kingdom, 25–44; feeding juvenile Wrens, 268; consuming nectar at Saharan stopover site, 299–305; racial identification and assessment in Britain, 638
——, Iberian, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 315
Chittenden, R., photograph of Eurasian Spoonbill, 502, plate 262; of White-rumped Sandpiper, 593, plate 319; of Whiskered Tern, 656, plate 361
——, ——, see Chandler, R., *et al.*
Chlamydotis macqueenii, see Bustard, Macqueen's
—— *undulata*, see Bustard, Houbara
Chlidonias hybrida, see Tern, Whiskered
—— *leucopterus*, see Tern, White-winged Black
—— *niger*, see Tern, Black
Chough, Red-billed, population estimate in Great Britain and the United Kingdom, 25-44
Chrysolophus amherstiae, see Pheasant, Lady Amherst's
—— *pictus*, see Pheasant, Golden
Ciconia ciconia, see Stork, White
—— *nigra*, see Stork, Black
Cinclus cinclus, see Dipper
Circaetus gallicus, see Eagle, Short-toed
Circus aeruginosus, see Harrier, Marsh
—— *cyaneus*, see Harrier, Hen
—— *pygargus*, see Harrier, Montagu's
Clamator glandarius, see Cuckoo, Great Spotted
Clangula hyemalis, see Duck, Long-tailed
Cleeves, T., review of Wright: Merlins of the South-east Yorkshire Dales, 217
Coath, M., Greylag Goose nesting in pine tree, 365, plate 176

Coccothraustes coccothraustes, see Hawfinch
Cocker, M., and Dee, T., Common Starling killing and feeding scorpion to its young, 582
Collinson, M., review of Videler: *Avian Flight*, 102; splitting headaches? Recent taxonomic changes affecting the British and Western Palearctic lists, 306–23, plates 155–8; review of Lever: *Naturalised Birds of the World*, 327; of Constantine & The Sound Approach: *The Sound Approach to Birding: a guide to understanding bird sound*, 584–5; of Snow: *The Design and Evolution of Birds*, 649
——, ——, *et al.*, species limits within the genus *Melanitta*, the scoters, 183–201, plates 85–91
——, T., photograph of Hume's Warbler, 116, plate 45
Columba livia, see Dove, Rock/Pigeon, Feral
—— *oenas*, see Dove, Stock
—— *palumbus*, see Pigeon, Wood
Combridge, P., review of Kelcey & Rheinwald: *Birds in European Cities*, 161; of Couzens: *Birds: a complete guide to all British and European species*, 161; of Grihault: *Dodo: the bird behind the legend*, 326–7; review of Nozedar: *The Secret Language of Birds: a treasury of myths, folklore and inspirational stories*, 376
Conservation research news, 92–94; 202–3; 324–5; 479–80; 531–2; 646–7
Coot, Common, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 75, 82, plate 32; foot-slapping, 154–5; eating African Desert Locusts, 491
Coracias garrulus, see Roller, European
Cormorant, Great, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98; racial identification and assessment in Britain, 625
——, Socotra, photographs, 550, plates 298–9
Corrections: 172; 336; 544
Corvus corax, see Raven, Common
—— *cornix*, see Crow, Hooded
—— *corone*, see Crow, Carrion
—— *frugilegus*, see Rook
—— *monedula*, see Jackdaw, Western
—— *ruficollis*, see Raven, Brown-necked
Coturnix coturnix, see Quail, Common
Courser, Cream-coloured, eating African Desert Locusts, 491
Crab-plover, photograph, 547, plate 295
Crake, Baillon's, British record in 1953 no longer considered acceptable, 460–4
——, Corn, population estimate in Great Britain and the United Kingdom, 25–44
——, Little, British records in 1952, 1955 and 1956 no longer considered acceptable, 460–4
——, Spotted, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 75, 82
Crane, Common, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 83, 390, plates 32, 187
Cranswick, P. A., see Baker, H., *et al.*
Crewe, M., Little Grebe using air bubbles to assist with foraging, 264–5
Crex crex, see Crake, Corn
Crossbill, Common, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 641
——, Parrot, population estimate in Great Britain and the United Kingdom, 25–44; patterns of nest attendance by a pair, 562–8, plates 311–12
——, Scottish, population estimate in Great Britain and the United Kingdom, 25–44
Crow, Carrion, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 317
——, Hooded, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 317
Cuckoo, Common, population estimate in Great Britain and the United Kingdom, 25–44
——, Great Spotted, eating African Desert Locusts, 491
Cuculus canorus, see Cuckoo, Common
Curlew, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491; racial identification and assessment in Britain, 628
Cursorius cursor, see Courser, Cream-coloured
Cyanistes caeruleus, see Tit, Blue
—— *cyanus*, see Tit, Azure
Cygnus columbianus, see Swan, Tundra
—— *cygnus*, see Swan, Whooper
—— *olor*, see Swan, Mute

Day, K., photograph of Sora, 227, plate 100; of Night Heron, 276, plate 134; of Subalpine Warbler, 278, plate 139; of Common Eider and King Eider, 334, plate 160; of Woodchat Shrike, 336, plate 165; of Red-backed Shrike, 392, plate 192; of Isabelline Wheatear, 597, plate 327; of Rose-coloured Starling, 599, plate 333; of 'White-spotted Bluethroat', 642, plate 356; of Red-flanked Bluetail, 659, plate 368
Dee, T., see Cocker, M.
Delichon urbicum, see Martin, House
Dempsey, E., photograph of Night Heron, 389, plate 186
Dendrocopos major, see Woodpecker, Great Spotted
—— *minor*, see Woodpecker, Lesser Spotted
Dipper, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 634, plate 352
Diver, Black-throated, population estimate in Great Britain and the United Kingdom, 25–44
——, Great Northern, population estimate in Great Britain and the United Kingdom, 25–44
——, Red-throated, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 308
Donald, P., see Conservation research news
——, P. F., and Brooke, M. de L., an unlikely survivor: the peculiar natural history of the Raso Lark, 420–30, plates 207–12
Dotterel, population estimate in Great Britain and the United Kingdom, 25–44
Dove, Collared, population estimate in Great Britain and the United Kingdom, 25–44
——, Rock/Pigeon, Feral, population estimate in Great Britain and the United Kingdom, 25–44
——, Stock, population estimate in Great Britain and the United Kingdom, 25–44
——, Turtle, population estimate in Great Britain and the United Kingdom, 25–44
Dowitcher, Long-billed, photograph, 170, plate 72
——, Short-billed, in Northeast Scotland: new to Britain, 354–60, plates 173–5
Dromas ardeola, see Crab-plover
Duck, Harlequin, numbers wintering in Southwest Greenland, 282–98, plate 150; British record in 1954 no longer considered acceptable, 460–4
——, Long-tailed, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–298
——, Mandarin, population estimate in Great Britain and the United Kingdom, 25–44
——, Marbled, photograph, 592, plate 317
——, Ring-necked, numbers in Britain in 2003, 75, 78
——, Ruddy, population estimate in Great Britain and the

United Kingdom, 25–44
——, Tufted, population estimate in Great Britain and the United Kingdom, 25–44; killing a young Shelduck, 153
Duff, D. G., has the plumage of the juvenile Honey-buzzard evolved to mimic that of Common Buzzard?, 118–28, plates 47–57
Dunlin, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 627
Dunn, R., photograph of European Roller, 656, plate 362
Dunnock, population estimate in Great Britain and the United Kingdom, 25–44; eating candle wax, 158
Dymond, N., review of Spierenburg: *Birds in Bhutan: status and distribution*, 379–80

Eagle, Bonelli's, recent taxonomic changes, 309–10
——, Booted, recent taxonomic changes, 309–10; northward migration at Strait of Gibraltar, 573
——, Golden, population estimate in Great Britain and the United Kingdom, 25–44
——, Short-toed, northward migration at Strait of Gibraltar, 570, 573, plate 313
——, White-tailed, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98, plate 146; photograph, 441, plate 224; British record in 1951 no longer considered acceptable, 460–4
Eaton, M., see Conservation research news
Editorial: important bird areas, 280–81, plate 140
Editors, Redpolls at garden feeders, 370
Edwards, S., Great Spotted Woodpecker nesting in Yew, 157; Western Jackdaw carrying Slow-worm, 159
Egevang, C., photograph of Brünnich's Guillemot, 294, plate 149
Egret, Cattle, photograph, 169, plate 71; eating African Desert Locusts, 491
——, Great White, 1951 British record no longer considered acceptable, 460–4; racial identification and assessment in Britain, 625
——, Little, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491
——, Snowy, recent taxonomic changes, 309
Egretta ardesiaca, see Heron, Black
—— *garzetta*, see Egret, Little
—— *thula*, see Egret, Snowy
—— *tricolor*, see Heron, Tricolored
Eider, Common, population estimate in Great Britain and the United Kingdom, 25–44; moulting birds devoured by Killer Whales, 264; numbers wintering in Southwest Greenland, 282–98, plate 151; photographs, 334, 588, plates 160, 316; taken by Killer Whales, 533; racial identification and assessment in Britain, 624
——, King, numbers wintering in Southwest Greenland, 282–98, plates 143–4; photograph, 334, plate 160
Elanus caeruleus, see Kite, Black-shouldered
Elkins, N., review of Møller: *Birds and Climate Change*, 648
Ellis, P. M., see Booth, C. J.
Elsby, K., photograph of Ross's Gull, 115, plate 44
Emberiza aureola, see Bunting, Yellow-breasted
—— *calandra*, see Bunting, Corn
—— *cirlus*, see Bunting, Cirl
—— *citrinella*, see Yellowhammer
—— *hortulana*, see Bunting, Ortolan
—— *leucocephalos*, see Bunting, Pine
—— *melanocephala*, see Bunting, Black-headed
—— *pusilla*, see Bunting, Little
—— *sahari*, see Bunting, House
—— *schoenichus*, see Bunting, Reed
—— *striolata*, see Bunting, Striolated
Eremophila alpestris, see Lark, Shore
—— *bilopha*, see Lark, Temminck's
Eremopterix signatus, see Sparrow-lark, Chestnut-headed
Eriksen, H., and J., photograph of White-cheeked Tern, 548, plate 296; of Socotra Cormorant, 550, plate 298; of Sooty Falcon, 551, plate 300; of Red-billed Tropicbird, 553, plate 302; of Saunders's Tern, 556, plate 306
——, J., review of Alfadhel: *Birds of Kuwait: a portrait*, 219–20
Erithacus rubecula, see Robin
Evans, A., see Conservation research news
Everett, M., review of Summers-Smith: *On Sparrows and Man*, 584

Falco biarmicus, see Falcon, Lanner
—— *columbarius*, see Merlin
—— *concolor*, see Falcon, Sooty
—— *naumanni*, see Kestrel, Lesser
—— *peregrinus*, see Falcon, Peregrine
—— *subbuteo*, see Hobby
—— *tinnunculus*, see Kestrel, Common
—— *vespertinus*, see Falcon, Red-footed
Falcon, Lanner, eating African Desert Locusts, 491
——, Peregrine, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 627
——, Red-footed, photograph, 447, plate 227
——, Sooty, photograph, 551, plate 300
Fathers, J., polygyny in the Eurasian Sparrowhawk, 265–6, plates 128–9
Faustino, A., photograph of Temminck's Lark, 603, plate 337; of Thick-billed Lark, 604, plate 338
Ficedula albicilla, see Flycatcher, Taiga
—— *albicollis*, see Flycatcher, Collared
—— *hypoleuca*, see Flycatcher, Pied
—— *parva*, see Flycatcher, Red-breasted
—— *speculigera*, see Flycatcher, Atlas
Field characters: Honey-buzzard, 118–28, plates 47–57; Fea's Petrel, 394–400, plates 194–9; 'soft-plumaged petrels', 404–19, plates 203–6; Short-billed Dowitcher, 354–60, plates 173–5; Black-headed Gull, 275–6, plate 132; 'American Black Tern', 450–9, plates 231–45; Barn Owl, 210–11, plates 93–94; of Dunn's Lark, 482–4, plates 250–3; White-throated Robin, 361–4; Siberian Blue Robin, 517–20; Moustached Warbler, 465–78, plates 247–8; Goldcrest, 152–3; Masked Shrike, 67–70, plates 30–31; Black-headed Bunting, 111–12, plate 38
Fieldfare, population estimate in Great Britain and the United Kingdom, 25–44
Finch, Citril, recent taxonomic changes, 317
——, Corsican, recent taxonomic changes, 317
——, Crimson-winged, change to spelling of scientific name, 320
Firecrest, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 316; change to spelling of scientific name, 320
——, Madeira, recent taxonomic changes, 316; photograph, 435, plate 215
Fisher, A., and Flood, B., Fea's Petrel off Scilly: new to Britain, 394–400, plates 194–9
——, D., review of Ferguson-Lees & Christie: *Raptors of the World: a field guide*, 215–6
——, G., see Conservation research news
——, I., photograph of Siberian Rubythroat, 658, plate 366; of Arctic Warbler, 660, plate 372
Fitter, Richard Sidney Richmond, obituary, 109–10, plate 37
Flamingo, Caribbean, recent taxonomic changes, 309
——, Chilean, recent taxonomic changes, 309
——, Greater, recent taxonomic changes, 309
Flood, B., photograph of Paddyfield Warbler, 543, plate 291
Flycatcher, Atlas, recent taxonomic changes, 316–17
——, Collared, photograph, 336, plate 164

——, Pied, population estimate in Great Britain and the United Kingdom, 25–44; consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 316–17; photograph, 479, plate 249
——, Red-breasted, numbers in Britain in 2003, 129, 139; recent taxonomic changes, 316
——, Spotted, population estimate in Great Britain and the United Kingdom, 25–44
——, Taiga, recent taxonomic changes, 316
Food and feeding behaviour: Tufted Duck, 153; Barbary Partridge, 491; Little Grebe, 264–5; Purple Heron, 265; Bald Ibis, 491; Common Buzzard, 578; Long-legged Buzzard, 491; Eurasian Sparrowhawk, 368; Lesser Kestrel, 491; Common Kestrel, 491; Common Coot, 491; Cream-coloured Courser, 491; Bar-tailed Godwit, 491, 576; Whimbrel, 491; Eurasian Curlew, 491; Common Redshank, 491; Mediterranean Gull, 491; Black-headed Gull, 491; Audouin's Gull, 491; Lesser Black-backed Gull, 491; Yellow-legged Gull, 491; Common Tern, 369; Great Spotted Cuckoo, 491; Barn Owl, 577–8; Common Kingfisher, 533; Hoopoe Lark, 491; Thick-billed Lark, 491; Thekla Lark, 491; Common Bulbul, 491; Rufous Bush Robin, 299–305; Common Nightingale, 299–305; Northern Wheatear, 268; Desert Wheatear, 491; White-crowned Black Wheatear, 491; Black Wheatear, 491; Blue Rock Thrush, 491; Mistle Thrush, 158–9; Reed Warbler, 299–305; Eastern Olivaceous Warbler, 299–305; Western Olivaceous Warbler, 299–305; Melodious Warbler, 299–305; Spectacled Warbler, 299–305; Subalpine Warbler, 299–305; Sardinian Warbler, 299–305; Orphean Warbler, 299–305; Barred Warbler, 579–80; Common Whitethroat, 299–305; Garden Warbler, 579–80; Blackcap 579–80; Western Bonelli's Warbler, 299–305; Common Chiffchaff, 268, 299–305; Willow Warbler, 299–305; Pied Flycatcher, 299–305; Eurasian Nuthatch, 369; Southern Grey Shrike, 491; Magpie, 369; Western Jackdaw, 159; Common Raven, 491; Common Starling, 491, 582; Spotless Starling, 491; House Sparrow, 491; Desert Sparrow, 299–305; Sudan Golden Sparrow, 299–305; Greenfinch, 649; Lesser Redpoll, 159, 370; Hawfinch, 649
Forman, D., an observation of Moorhens simultaneously incubating eggs in two adjacent nests, 206
Foster, K., Siberian Blue Robin at Minsmere: new to Britain, 517–20
Fox, A. D., *et al.*, the rise and fall of the Greenland White-fronted Goose: a case study in international conservation, 242–61, plates 115–26; calls of 'Northern Bullfinches', 370–1
Francis, I., see Fox, A. D., *et al.*
Fraser, P. A., and Rogers, M. J., report on scarce migrant birds in Britain in 2003. Part 1: American Wigeon to Wryneck, 74–91, plates 32–35; Part 2: Short-toed Lark to Little Bunting, 129–47, plates 58–65
Fratercula arctica, see Puffin
Fregata magnificens, see Frigatebird, Magnificent
French, P. R., dark-breasted Barn Owl in Devon, 210–11, plates 93–94
Frigatebird, Magnificent, British record in 1953 no longer considered acceptable, 460–4
Fringilla coelebs, see Chaffinch, Common
—— *montifringilla*, see Brambling
From the Rarities Committee's files: do we know what British 'soft-plumaged petrels' are?, 404–19, plates 203–6
Fulica atra, see Coot, Common
Fulmar, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98
Fulmarus glacialis, see Fulmar
Gadwall, population estimate in Great Britain and the United Kingdom, 25–44
Gale, P., photograph of Great Grey Shrike, 141, plate 62
Galerida theklae, see Lark, Thekla
Gallinago gallinago, see Snipe, Common
Gallinula chloropus, see Moorhen
Gannet, Northern, population estimate in Great Britain and the United Kingdom, 25–44; soaring, 576
Garcia, E. F. J., and Bensusan, K. J., northbound migrant raptors in June and July at the Strait of Gibraltar, 569–75, plates 313–14
Garganey, population estimate in Great Britain and the United Kingdom, 25–44
Garner, M., photographs of 'Northern Bullfinch' and British Bullfinch, 6, plates 4–5; of Greylag Goose, 623, plate 348
Garrulax elliotii, see Laughing-thrush, Elliot's
Garrulus glandarius, see Jay, Eurasian
—— *lidthi*, see Jay, Lidth's
Gauntlett, F. M., letter on taxonomy for birders, 151–2
Gavia arctica, see Diver, Black-throated
—— *immer*, see Diver, Great Northern
—— *stellata*, see Diver, Red-throated
Gelochelidon nilotica, see Tern, Gull-billed
Geronticus eremita, see Ibis, Bald
Gillings, S., European Golden Plovers in the UK in October 2003, 206–8
Gladwin, T., Lesser Redpolls at garden feeders, 159, 370
Glareola nordmanni, see Pratincole, Black-winged
—— *pratincola*, see Pratincole, Collared
Glass, T., *et al.*, Masked Shrike: new to Britain, 67–70, plates 30–31
Godwit, Bar-tailed, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491; feeding on carrion, 576
——, Black-tailed, population estimate in Great Britain and the United Kingdom, 25–44
Goldcrest, population estimate in Great Britain and the United Kingdom, 25–44; foot and leg colour, 152–3; recent taxonomic changes, 315–6; feeding on peanuts, 580–1
——, Tenerife, recent taxonomic changes, 315–6
Goldeneye, Common, population estimate in Great Britain and the United Kingdom, 25–44
Goldfinch, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 530, plate 282; occurrence of race *carduelis* in Britain, 642
Goosander, population estimate in Great Britain and the United Kingdom, 25–44
Goose, Barnacle, population estimate in Great Britain and the United Kingdom, 25–44
——, Bean, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 622
——, Brent, population estimate in Great Britain and the United Kingdom, 25–44; photograph of 'Black Brant', 113, plate 40; racial identification and assessment in Britain, 624; photograph, 655, plate 358
——, Egyptian, population estimate in Great Britain and the United Kingdom, 25–44; change to spelling of scientific name, 320
——, Greater Canada, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 307; racial identification and assessment in Britain, 623–4
——, Greylag, population estimate in Great Britain and the United Kingdom, 25–44; nesting in pine tree, 365, plate 176; racial identification and assessment in Britain, 623, plate 348
——, Lesser Canada, recent taxonomic changes, 307; racial identification and assessment in Britain, 623–4

——, Pink-footed, population estimate in Great Britain and the United Kingdom, 25–44
——, Red-breasted, British record in 1957 no longer considered acceptable, 460–4; photograph, 655, plate 358
——, Snow, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 623
——, White-fronted, population estimate in Great Britain and the United Kingdom, 25–44; the rise and fall of the Greenland subspecies: a case study in international conservation, 242–61, plates 115–26; racial identification and assessment in Britain, 622–3
Goshawk, Northern, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 626
Gosler, A. G., yet more ways to dress eggs, 338–53, plates 166–72
——, ——, see Riddington, R., *et al.*
Grebe, Black-necked, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 164, plate 69
——, Great Crested, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 433, plate 213
——, Little, population estimate in Great Britain and the United Kingdom, 25–44; using air bubbles to assist with foraging, 264–5; photograph, 439, plate 220
——, Red-necked, population estimate in Great Britain and the United Kingdom, 25–44; 'Holboell's Red-necked Grebe' in Wester Ross in 1925, 481; racial identification and assessment in Britain, 624
——, Slavonian, population estimate in Great Britain and the United Kingdom, 25–44
Greenfield, J., photograph of Snake Pipefish, 148, plate 68
Greenfinch, population estimate in Great Britain and the United Kingdom, 25–44
Greenshank, Common, population estimate in Great Britain and the United Kingdom, 25–44
Gregory, P., photograph of Lidth's Jay, 617, plate 347
——, R. D., see Baker, H., *et al.*
Grosbeak, Blue, recent taxonomic changes, 319
——, Pine, British record in 1955 no longer considered acceptable, 460–4
Grouse, Black, population estimate in Great Britain and the United Kingdom, 25–44
——, Willow/Red, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 438, plate 219
Grus grus, see Crane, Common
Guillemot, Black, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98
——, Brünnich's, photographs, 55, 280, plates 21, 140; numbers wintering in Southwest Greenland, 282–98, plate 149
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; laying a big egg on a little ledge: does it help a female if Dad's there?, 230–35, plates 102–10; numbers wintering in Southwest Greenland, 282–98; taken by Killer Whales, 533; occurrence of race *hyperborea* in Britain, 641
Gull, Armenian, recent taxonomic changes, 310–11
——, Audouin's, eating African Desert Locusts, 491
——, Black-headed, population estimate in Great Britain and the United Kingdom, 25–44; identification, 275–6, plate 132; photographs, 439–40, plates 221–2; eating African Desert Locusts, 491
——, Bonaparte's, photograph, 542, plate 287
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 629
——, Franklin's, photographs, 277, 335, plates 136, 162
——, Glaucous, numbers wintering in Southwest Greenland, 282–98
——, Great Black-backed, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98
——, Herring, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 310–11; photograph of 'Caspian Gull', 503, plate 265; racial identification and assessment in Britain, 630
——, Iceland, numbers wintering in Southwest Greenland, 282–98, plate 148
——, Ivory, numbers wintering in Southwest Greenland, 282–98; British records in 1950 and 1954 no longer considered acceptable, 460–4
——, Laughing, photographs, 55, 115, 170, 228, plates 20, 43, 73, 101; British record in 1957 no longer considered acceptable, 460–4
——, Lesser Black-backed, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491; racial identification and assessment in Britain, 629
——, Mediterranean, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491
——, Ring-billed, numbers in Britain in 2003, 75, 88–89, plate 34
——, Ross's, photograph, 115, plate 44; the 1885 Greenland breeding record, 208–9, plate 92
——, Sabine's, numbers in Britain in 2003, 75, 87–88, plate 33
——, Yellow-legged, recent taxonomic changes, 310–11; eating African Desert Locusts, 491; photograph, 570, plate 313; racial identification and assessment in Britain, 629
Gypaetus barbatus, see Lammergeier
Gyps fulvus, see Vulture, Griffon
—— *rueppellii*, see Vulture, Rüppell's

Hackett, P., photograph of Laughing Gull, 115, plate 43; of White-rumped Sandpiper, 503, plate 264; of Isabelline Shrike, 661, plate 374; of Red-eyed Vireo, 661, plate 375
Haematopus ostralegus, see Oystercatcher, Eurasian
Haliaeetus albicilla, see Eagle, White-tailed
Hallam, N., photograph of Long-tailed Skua, 542, plate 286; of Desert Wheatear, 659, plate 369
Hancock, M., see Conservation research news
Harrier, Hen, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 625
——, Marsh, population estimate in Great Britain and the United Kingdom, 25–44; comments on the roosting behaviour of Marsh Harriers during migration, 367–8, plate 178; photograph, 436, plate 216
——, Montagu's, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 446, plate 225
Harris, A., roosting behaviour of wintering Eurasian Bitterns in the Lee Valley, 174–82, plates 79–84; review of Burton: *Aig an Oir/At the Edge*, 218; of Gerrard: *The Great Fen: artists for nature in England*, 583
——, M. P., and Wanless, S., laying a big egg on a little ledge: does it help a female Common Guillemot if Dad's there?, 230–35, plates 102–10
Harrop, A., photograph of 'Northern Bullfinch', 5, plate 3
——, H., photograph of Semipalmated Sandpiper, 54, plate 18; of Pine Bunting, 58, plate 28; of Common Crane, 83, plate 32; of Common Rosefinch, 145, plate 65; of Rufous-tailed Robin, 238–9, plates 112–13; of Brünnich's Guillemot, 280, plate 140; of Crested Tit, 316, plate 157; of Eurasian Scops Owl, 335, plate 163; of Collared Flycatcher, 336, plate 164; review of

Langsbury & Ogilvie: *The Birds of Islay: a celebration in photographs*, 379; photograph of White-throated Sparrow, 392, plate 193; of Fea's Petrel, 411, 413, plates 203–6; of Firecrest, third place, Bird Photograph of the Year 2006, 435, plate 215; of European Bee-eater, 448, plate 229; of Black-eared Wheatear, 486–7, plates 255, 257; of White-rumped Sandpiper, 502, plate 263; of Red-rumped Swallow, 543, plate 289; of Olive-tree Warbler, 544, plate 292; of Common Eider, 588, plate 316; of Citrine Wagtail, 596, plate 326; of Arctic Warbler, 599, plate 331; of Yellow-breasted Bunting, 600, plate 335; of Black-headed Bunting, 600, plate 336; of 'Dark-breasted Barn Owl', 631, plate 350; of 'Black-bellied Dipper', 634, plate 352; of Red-flanked Bluetail, 658, plate 367; of Arctic Redpoll, 662, plate 376
Harvey, P., review of Sample: *Collins Field Guide: wildlife sounds of Britain and Ireland* (book and CD), 497; review of Koeppel: *To See Every Bird on Earth: a father, a son and a lifelong obsession*, 649
Hawfinch, population estimate in Great Britain and the United Kingdom, 25–44
Hearn, P., Common Tern apparently feeding on oilseed rape, 369
——, ——, see Riddington, R., *et al.*
Heide-Jørgensen, M. P., photograph of King Eider, 289, plate 144
Helbig, Andreas J., obituary, 225–6, plate 98
——, ——, see Collinson, *et al.*
Hellyer, P., see Aspinall, S.
Helm, A., obituary of Philippa Leegood, 654, plate 357
——, C., letter on population estimates, 204
Heron, Black, recent taxonomic changes, 309
——, Green-backed, photograph, 54, plate 17
——, Grey, population estimate in Great Britain and the United Kingdom, 25–44
——, Night, numbers in Britain in 2003, 75, 79–80; photographs, 276, 389, plates 134, 186; racial identification and assessment in Britain, 625
——, Purple, numbers in Britain in 2003, 75, 80; fishing in deep water, 265
——, Squacco, British record in 1951 no longer considered acceptable, 460–4
——, Striated, change to spelling of scientific name, 320
——, Tricolored, recent taxonomic changes, 309
Heubeck, M., review of Brooke: *Albatrosses and Petrels across the World*, 496–7
Higgins, R. J., see Andrews, R. M., *et al.*
Himantopus himantopus, see Stilt, Black-winged
Hippolais caligata, see Warbler, Booted
—— *icterina*, see Warbler, Icterine
—— *olivetorum*, see Warbler, Olive-tree
—— *opaca*, see Warbler, Western Olivaceous
—— *pallida*, see Warbler, Eastern Olivaceous
—— *polyglotta*, see Warbler, Melodious
—— *rama*, see Warbler, Sykes's
Hirundo rustica, see Swallow, Barn
Histrionicus histrionicus, see Duck, Harlequin
Hobby, population estimate in Great Britain and the United Kingdom, 25–44
Holmes, J., and I., photograph of White-throated Redstart, 610, plate 340; of Chestnut Thrush, 612, plate 342; of Plain-backed Thrush, 612, plate 343; of Elliot's Laughing-thrush, 615, plate 344; of Black-browed Tit, 616, plate 345; of White-capped Water Redstart, 616, plate 346
——, P., moult in an overwintering Willow Warbler in Britain, 97
Honey-buzzard, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 75, 81; spring passage of second-calendar birds at the Strait of Messina, 95–96; has the plumage of the juvenile evolved to mimic that of Common Buzzard?, 118–128, plates 48–53, 55–56; feeding during migration?, 365–7, plate 177; northward migration at Strait of Gibraltar, 570
Hoopoe, numbers in Britain in 2003, 75, 89–90; photograph, 170, plate 74
Hopkins, G. R., unusual song of Willow Warbler, 580
Hosking, D., see Chandler, R., *et al.*
Hough, J., photograph of 'Taiga Merlin', 626, plate 349
Hydroprogne caspia, see Tern, Caspian
Hydrobates pelagicus, see Storm-petrel, European

Ibis, Bald, eating African Desert Locusts, 491
——, Glossy, photograph, 655, plate 359
Irania gutturalis, see Robin, White-throated
Irish Bird Images, photograph of Franklin's Gull, 277, plate 136; of Montagu's Harrier, 446, plate 225; of 'American Black Tern', 504, plates 266–7; of Spotted Sandpiper, 541, plate 285; of Baird's Sandpiper, 594, plate 320; of Hermit Thrush, 660, plate 370
Ixobrychus sturmii, see Bittern, Dwarf

Jackdaw, Western, population estimate in Great Britain and the United Kingdom, 25–44; carrying Slow-worm, 159; racial identification and assessment in Britain, 640
Jay, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; occurrence of race *glandarius* in Britain, 642
——, Lidth's, photograph, 617, plate 347
Jynx torquilla, see Wryneck

Kane, K. W. S., letter on threat to carrion-feeding birds of prey posed by EU legislation, 478
Kehoe, C., racial identification and assessment in Britain: a report from the RIACT subcommittee, 619–45, plates 348–56
Kennerley, P., review of Viney *et al.*: *The Birds of Hong Kong and South China*, 216–7; of Strange & Yong: *Birds of Taman Negara: an illustrated guide and checklist*, 327
——, ——, and Prŷs-Jones, R. P., occurrences of Gray's Grasshopper Warbler in Europe, including a further case of Meinertzhagen fraud, 506–16, plates 269–77
Kestrel, Common, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491
——, Lesser, eating African Desert Locusts, 491
Killdeer, photograph, 277, plate 135
Kingfisher, Collared, photograph, 549, plate 297
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; eating newts, 533
Kirwan, G. M., letter on the identity of MacQueen and a remark on *Phylloscopus trochiloides nitidus*, 375
Kite, Black, northward migration at Strait of Gibraltar, 570
——, Black-shouldered, photograph, 440, plate 223
——, Red, population estimate in Great Britain and the United Kingdom, 25–44
Kittiwake, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98; recent taxonomic changes, 311; photograph, 500, plate 261
Knights, C., photograph of Great Crested Grebe, winner, Bird Photograph of the Year 2006, 433, plate 213; of Moorhen, 437, plate 217
Knot, Red, population estimate in Great Britain and the United Kingdom, 25–44
Knox, A. G., see Collinson, *et al.*
Kuznetsova, D., and Salovarov, V., photograph of Gray's Grasshopper Warbler, 510, plate 271

Lagopus lagopus, see Grouse, Willow/Red
—— *muta*, see Ptarmigan

Lammergeier, photograph, 434, plate 214
Lane, M., photograph of Little Grebe, 439, plate 220; of Black-headed Gull, 440, plate 222
Lanius collurio, see Shrike, Red-backed
—— *excubitor*, see Shrike, Great Grey
—— *isabellinus*, see Shrike, Isabelline
—— *meridionalis*, see Shrike, Southern Grey
—— *minor*, see Shrike, Lesser Grey
—— *nubicus*, see Shrike, Masked
—— *senator*, see Shrike, Woodchat
Lapwing, Northern, population estimate in Great Britain and the United Kingdom, 25–44
——, Sociable, photograph, 114, plate 42
Lark, Bar-tailed Desert, change to spelling of scientific name, 320
——, Black, a possible historical record in England, 262–3, plate 127
——, Dunn's, identification and status in northwest Africa, 482–4, plates 250–3
——, Hoopoe, eating African Desert Locusts, 491
——, Raso, natural history, 420–30, plates 207–12
——, Shore, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 631
——, Short-toed, numbers in Britain in 2003, 129–30; racial identification and assessment in Britain, 631
——, Sky, population estimate in Great Britain and the United Kingdom, 25–44; is singing by escaping birds a Merlin-specific signal?, 267–8
——, Temminck's, photograph, 603, plate 337
——, Thekla, eating African Desert Locusts, 491
——, Thick-billed, eating African Desert Locusts, 491; photograph, 604, plate 338
——, Wood, population estimate in Great Britain and the United Kingdom, 25–44
Larus argentatus, see Gull, Herring
—— *armenicus*, see Gull, Armenian
—— *atricilla*, see Gull, Laughing
—— *audouinii*, see Gull, Audouin's
—— *canus*, see Gull, Common
—— *delawarensis*, see Gull, Ring-billed
—— *fuscus*, see Gull, Lesser Black-backed
—— *glaucoides*, see Gull, Iceland
—— *hyperboreus*, see Gull, Glaucous
—— *marinus*, see Gull, Great Black-backed
—— *melanocephalus*, see Gull, Mediterranean
—— *michahellis*, see Gull, Yellow-legged
—— *philadelphia*, see Gull, Bonaparte's
—— *pipixcan*, see Gull, Franklin's
—— *ridibundus*, see Gull, Black-headed
—— *sabini*, see Gull, Sabine's
Lascelles, B., photograph of Fea's Petrel, 399, plate 199
Lauder, A. W., see Glass, T., *et al.*
Laughing-thrush, Elliot's, photograph, 615, plate 344
Lavaty, G., photograph of 'American Black Tern', 456, plate 241
Lawlor, M., photograph of 'Eastern Black Redstart', 635, plate 353
Lawrence, J., photograph of Red-footed Falcon, 447, plate 227
Leach, I., photograph of Green-backed Heron, 54, plate 17; of Paddyfield Warbler, 58, plate 27; of Buff-breasted Sandpiper, 595, plate 322; of Radde's Warbler, 661, plate 373
Leegood, Philippa, obituary, 656, plate 357
Lees, A. C., and Moores, R. D., identification and status of Dunn's Lark in northwest Africa, 482–4, plates 250–3
——, J. S., Fea's Petrel in the Western Approaches, 401–3, plates 200–2; photograph of Aquatic Warbler, 543, plate 290
Leigh, Carole, photographs of 'American Black Tern', 451, plates 231–2
Lidster, J., identification of Black-headed Bunting, 111–12, plate 38; of Black-headed Gull, 275–6, plate 132
Liebers-Helbig, D., photograph of Andreas J. Helbig, 226, plate 98
Limnodromus griseus, see Dowitcher, Short-billed
—— *scolopaceus*, see Dowitcher, Long-billed
Limosa lapponica, see Godwit, Bar-tailed
—— *limosa*, see Godwit, Black-tailed
Lindsell, J., review of Carswell *et al.*: *The Bird Atlas of Uganda*, 377–8
Linnet, population estimate in Great Britain and the United Kingdom, 25–44
Locustella fasciolata, see Warbler, Gray's Grasshopper
—— *lanceolata*, see Warbler, Lanceolated
—— *luscinioides*, see Warbler, Savi's
—— *naevia*, see Warbler, Grasshopper
Looking back: 66; 73; 205; 419; 459; 530
Lophodytes cucullatus, see Merganser, Hooded
Lophophanes cristatus, see Tit, Crested
Loseby, T., photograph of Eurasian Bittern, 175, plate 79; of Velvet Scoter, 199, plate 90; of Blackcap, 529, plate 281
Loughran, M. F. E., and Brown, J. G., the prey of breeding Barn Owls on Skomer, and evidence for mainland foraging, 577–8
Loxia curvirostra, see Crossbill, Common
—— *pytyopsittacus*, see Crossbill, Parrot
—— *scotica*, see Crossbill, Scottish
Lucia, G., see Panuccio, M., *et al.*
Ludwigs, J.-D., Common Tern incubating an empty nest, 155–7
Lullula arborea, see Lark, Wood
Luscinia brunnea, see Robin, Indian Blue
—— *calliope*, see Rubythroat, Siberian
—— *cyane*, see Robin, Siberian Blue
—— *megarhynchos*, see Nightingale, Common
—— *sibilans*, see Robin, Rufous-tailed
—— *svecica*, see Bluethroat
Lymnocryptes minimus, see Snipe, Jack

Macdonald, S. M., see Mason, C. F.
Maginzali, L., photograph of Ring Ouzel, 384, plate 184
Magpie, population estimate in Great Britain and the United Kingdom, 25–44; foot-paddling, 369
Maher, M., photograph of 'Northern Bullfinch', 9, plate 9; review of Hanlon: *Birding in the Fast Lane*, 650
Mallard, population estimate in Great Britain and the United Kingdom, 25–44; numbers of Greenland subspecies wintering in Southwest Greenland, 282–98, plate 145
Malloy, J., photograph of Hume's Warbler, 172, plate 77; of Killdeer, 277, plate 135; of European Roller, 542, plate 288; of American Golden Plover, 655, plate 360
Marmaronetta angustirostris, see Duck, Marbled
Marchant, J., see Riddington, R., *et al.*
Martin, House, population estimate in Great Britain and the United Kingdom, 25–44; change to spelling of scientific name, 320
Martin, J. P., see Andrews, R. M., *et al.*
Martin, Sand, population estimate in Great Britain and the United Kingdom, 25–44
Mason, C. F., and Macdonald, S. M., recent marked decline in Corn Bunting numbers in northeast Essex, 213–14, plates 95–97; drinking and bathing by birds in a garden, 521–30, plates 278–82
Matsuo, T., photograph of Gray's Grasshopper Warbler, 512, plate 275
McCanch, N., Goldcrests feeding on peanuts, 580–1
McElwee, S., photograph of Pallid Swift, 56, plate 22; of Grey-cheeked Thrush, 57, plate 25; of Hume's Warbler, 172, plate 78; of Savi's Warbler, 392, plate 191; of

Semipalmated Sandpiper, 446, plate 226; of Bonaparte's Gull, 542, plate 287; of Blyth's Reed Warbler, 598, plate 330
McIlroy, T., photograph of Richard Fitter, 109, plate 37
McGeehan, A., see Nightingale, B.
McGowan, R. Y., photographs of Sedge and Moustached Warblers, 468–9, plates 247–8; comment on 'Holboell's Red-necked Grebe' in Wester Ross in 1925, 481
McKee, M., photograph of Laughing Gull, 228, plate 101; of Franklin's Gull, 335, plate 162; of Olive-backed Pipit, 596, plate 324
McSorley, C. A., see Baker, H., *et al.*
Meek, E. R., see Pennington, M. G.
Melanitta americana, see Scoter, Black
—— *deglandi*, see Scoter, White-winged
—— *fusca*, see Scoter, Velvet
—— *nigra*, see Scoter, Common
—— *perspicillata*, see Scoter, Surf
Melanocorypha yeltoniensis, see Lark, Black
Melling, T., time to get rid of the Moustache: a review of British records of Moustached Warbler, 465–78, plates 247–8
Mellone, U., see Panuccio, M., *et al.*
Merganser, Hooded, photograph, 334, plate 161
——, Red-breasted, population estimate in Great Britain and the United Kingdom, 25–44; numbers wintering in Southwest Greenland, 282–98
Mergellus albellus, see Smew
Mergus merganser, see Goosander
—— *serrator*, see Merganser, Red-breasted
Merkel, F. R., see Boertmann, D., *et al.*
Merlin, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 626, plate 349
Merops apiaster, see Bee-eater, European
—— *persicus*, see Bee-eater, Blue-cheeked
—— *philippinus*, see Bee-eater, Blue-tailed
—— *superciliosus*, see Bee-eater, Olive
Milvus migrans, see Kite, Black
—— *milvus*, see Kite, Red
Mitcham, T., Common Kingfisher eating newts, 533
Mlikovsky, J., letter on a possible historical record of Black Lark in England, 262–3, plate 127
Monthly Marathon: 13: 17, plate 39; 13: 18, plate 133
Monticola solitarius, see Thrush, Blue Rock
Moore, D., reviews of Hilbers: *The Nature Guide to the Biebrza Marshes*, *The Nature Guide to the Coto Doñana and Surrounding Coastal Lowlands* and *The Nature Guide to the Białowieża Primeval Forest*, 377
Moores, R. D., see Lees, A. C.
Moorhen, population estimate in Great Britain and the United Kingdom, 25–44; simultaneously incubating eggs in two adjacent nests, 206; photograph, 437, plate 217
Morris, A., photographs of Black Scoter, 191, 194, plates 88–89; of White-winged Scoter, 200, plate 91; of 'American Black Tern', 455, plate 239
Morrison, P., photograph of Common Tern, 148, plate 67
Morus bassanus, see Gannet, Northern
Mosbech, A., see Boertmann, D., *et al.*
Motacilla alba, see Wagtail, White/Pied
—— *cinerea*, see Wagtail, Grey
—— *citreola*, see Wagtail, Citrine
—— *flava*, see Wagtail, Yellow
Mugridge, P., photograph of Lammergeier, second place, Bird Photograph of the Year 2006, 434, plate 214; of Griffon Vulture, 438, plate 218
Murrelet, Long-billed, recent taxonomic changes, 312
——, Marbled, recent taxonomic changes, 312
Muscicapa striata, see Flycatcher, Spotted
Muukkonen, T., photographs of Common Buzzard, 118, 124–5, plates 47, 54, 56; of Honey-buzzard, 124–5, plates 53, 55
Myiopsitta monachus, see Parakeet, Monk

Nason, R., photograph of Siberian Rubythroat, 56, plate 24; of Richard's Pipit, 131, plate 58; of Tawny Pipit, 132, plate 59; of Yellow-browed Warbler, 138, plate 61; of Puffin, 148, plate 66; of Rufous-tailed Robin, 237, 241, plates 111, 114; of Red-throated Pipit, 391, plate 190; of Blackbird, 526, plate 280; of Goldfinch, 530, plate 282; of Blyth's Pipit, 657, plate 363; of Red-throated Pipit, 658, plate 365
Neophron percnopterus, see Vulture, Egyptian
Netta rufina, see Pochard, Red-crested
New to Britain: Masked Shrike, 67–70, plates 30–31; Short-billed Dowitcher, 354–60, plates 173–5; White-throated Robin, 361–4; Fea's Petrel, 394–400, plates 194–9; 'American Black Tern', 450–9, plates 231–45; Siberian Blue Robin, 517–20
Newell, M., photograph of Kittiwake, 500, plate 261
News and comment: 47–51; 103–7; 164–8; 221–4; 269–73; 328–32; 381–6; 441–5; 498–501; 536–40; 587–91; 651–4
Newson, S., review of Nelson: *Pelicans, Cormorants and their Relatives: the Pelecaniformes*, 220
Newton, I., review of Potapov & Sale: *The Gyr Falcon*, 99–100
Nightingale, B., and McGeehan, A., recent reports, see Recent reports
Nightingale, Common, population estimate in Great Britain and the United Kingdom, 25–44; consuming nectar at Saharan stopover site, 299–305; racial identification and assessment in Britain, 634
Nightjar, European, population estimate in Great Britain and the United Kingdom, 25–44; nesting on tree stump, 267
Noble, D. G., see Baker, H., *et al.*
Noddy, Brown, recent taxonomic changes, 310
Norriss, D., see Fox, A. D., *et al.*
Numenius arquata, see Curlew, Eurasian
—— *phaeopus*, see Whimbrel
Nuthatch, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; feeding on Hawthorn berries, 369
Nycticorax nycticorax, see Heron, Night

Obituaries: Anna Poyser, 106, plate 36; Richard Sidney Richmond Fitter, 109–10, plate 37; Andreas J. Helbig, 225–6, plate 98; Eugeny E. Syroechkovski, 273–4, plate 131; John Duncan Wood, 387–8; Philippa Leegood, 654, plate 357
Oceanodroma leucorhoa, see Storm-petrel, Leach's
Oenanthe cypriaca, see Wheatear, Cyprus
—— *deserti*, see Wheatear, Desert
—— *hispanica*, see Wheatear, Black-eared
—— *isabellina*, see Wheatear, Isabelline
—— *leucopyga*, see Wheatear, White-crowned Black
—— *leucura*, see Wheatear, Black
—— *oenanthe*, see Wheatear, Northern
—— *pleschanka*, see Wheatear, Pied
Oksien, M., see Glass, T., *et al.*
Oliver, P. J., letter on foot and leg colour of Goldcrest, 152–3
Onychoprion aleutica, see Tern, Aleutian
—— *anaethetus*, see Tern, Bridled
—— *fuscata*, see Tern, Sooty
Oriole, Golden, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 139
Oriolus oriolus, see Oriole, Golden
Osprey, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 382, plate 183

Otis tarda, see Bustard, Great
Otus scops, see Owl, Eurasian Scops
Ouwerkerk, A., photographs of 'Northern Bullfinch', 4, plates 1–2
Ouzel, Ring, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 384, plate 184; racial identification and assessment in Britain, 636
Ovenbird, change to spelling of scientific name, 320
Owl, Barn, population estimate in Great Britain and the United Kingdom, 25–44; dark-breasted birds in Devon, 210–11, plates 93–94; killed and eaten by Common Buzzard, 578; the prey of breeding pair on Skomer, and evidence for mainland foraging, 577–8; racial identification and assessment in Britain, 630–1, plate 350
——, Brown Fish, recent taxonomic changes, 312
——, Eagle, population estimate in Great Britain and the United Kingdom, 25–44; photograph of, 48, plate 16
——, Eurasian Scops, photographs, 335, 447, plates 163, 228; British records in 1952, 1953 and 1956 no longer considered acceptable, 460–4
——, Little, population estimate in Great Britain and the United Kingdom, 25–44
——, Long-eared, population estimate in Great Britain and the United Kingdom, 25–44
——, Short-eared, population estimate in Great Britain and the United Kingdom, 25–44
——, Snowy, recent taxonomic changes, 312
——, Tawny, population estimate in Great Britain and the United Kingdom, 25–44
Oxyura jamaicensis, see Duck, Ruddy
Oystercatcher, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44
Ozaki, K., photographs of Gray's Grasshopper Warbler, 510–11, plates 272–4

Pagophila eburnea, see Gull, Ivory
Palmen, P., photograph of 'Eastern Black Redstart', 635, plate 354
Palmer, P., Purple Heron fishing in deep water, 265
Pandion haliaetus, see Osprey
Panuccio, M., and Agostini, N., spring passage of second-calendar-year Honey-buzzards at the Strait of Messina, 95–96; comments on the roosting behaviour of Marsh Harriers during migration, 367–8, plate 178
——, ——, *et al.*, does the Honey-buzzard feed during migration?, 365–7, plate 177
Panurus biarmicus, see Tit, Bearded
Parakeet, Alexandrine, population estimate in Great Britain and the United Kingdom, 25–44
——, Monk, population estimate in Great Britain and the United Kingdom, 25–44
——, Rose-ringed, population estimate in Great Britain and the United Kingdom, 25–44
Parkin, D. T., review of del Hoyo *et al.*: *Handbook of the Birds of the World*, Vol. 10, 215
——, ——, see Collinson, *et al.*
Partridge, Barbary, eating African Desert Locusts, 491
——, Grey, population estimate in Great Britain and the United Kingdom, 25–44
——, Red-legged, population estimate in Great Britain and the United Kingdom, 25–44
Parus major, see Tit, Great
Passer domesticus, see Sparrow, House
—— *luteus*, see Sparrow, Sudan Golden
—— *montanus*, see Sparrow, Tree
—— *simplex*, see Sparrow, Desert
Passerina caerulea, see Grosbeak, Blue
Peltomäki, photograph of 'Northern Bullfinch', 22, plate 15
Pennington, M. G., review of Gibbon Multimedia: *RSPB Birds of Britain & Ireland* (CD), 163; of Hume: *Birds of Britain and Europe*, 378; *Sylvia* warblers taking nectar on autumn migration in Shetland, 579–80
——, ——, and Meek, E. R., the 'Northern Bullfinch' invasion of autumn 2004, 2–24, plates 1–15; photograph of Hooded Merganser, 334, plate 161
Perdix perdix, see Partridge, Grey
Perez, C., photograph of Rüppell's Vulture, 574, plate 314
Periparus ater, see Tit, Coal
Pernis apivorus, see Honey-buzzard
Petrel, Fea's, off Scilly: new to Britain, 394–400, plates 194–9; in the Western Approaches, 401–3, plates 200–2; identification, 404–19, plates 203–6
——, Soft-plumaged, identification, 404–19
——, Zino's, identification, 404–19
Petrochelidon pyrrhonota, see Swallow, Cliff
Petty, A., photograph of British Bullfinch, 10, plate 12
Phaethon aethereus, see Tropicbird, Red-billed
Phalacrocorax aristotelis, see Shag
—— *carbo*, see Cormorant, Great
—— *nigrogularis*, see Cormorant, Socotra
Phalarope, Grey, numbers in Britain in 2003, 75, 87
——, Red-necked, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 75, 86
——, Wilson's, photograph, 595, plate 323
Phalaropus fulicarius, see Phalarope, Grey
—— *lobatus*, see Phalarope, Red-necked
—— *tricolor*, see Phalarope, Wilson's
Phasianus colchicus, see Pheasant, Common
Pheasant, Common, population estimate in Great Britain and the United Kingdom, 25–44
——, Golden, population estimate in Great Britain and the United Kingdom, 25–44
——, Lady Amherst's, population estimate in Great Britain and the United Kingdom, 25–44; in Britain, 205
Philippa Leegood family collection, photograph of Philippa Leegood, 656, plate 357
Philomachus pugnax, see Ruff
Phoenicopterus chilensis, see Flamingo, Chilean
—— *roseus*, see Flamingo, Greater
—— *ruber*, see Flamingo, Caribbean
Phoenicurus erythrogastrus, see Redstart, Güldenstädt's
—— *erythronotus*, see Redstart, Eversmann's
—— *ochruros*, see Redstart, Black
—— *phoenicurus*, see Redstart, Common
—— *schisticeps*, see Redstart, White-throated
Phylloscopus bonelli, see Warbler, Western Bonelli's
—— *borealis*, see Warbler, Arctic
—— *collybita*, see Chiffchaff, Common
—— *humei*, see Warbler, Hume's
—— *ibericus*, see Chiffchaff, Iberian
—— *inornatus*, see Warbler, Yellow-browed
—— *proregulus*, see Warbler, Pallas's Leaf
—— *schwarzi*, see Warbler, Radde's
—— *sibilatrix*, see Warbler, Wood
—— *subviridis*, see Warbler, Brooks's Leaf
—— *trochiloides*, see Warbler, Greenish
—— *trochilus*, see Warbler, Willow
Piazzi, M., photograph of Black-shouldered Kite, 440, plate 223
Pica pica, see Magpie
Picus viridis, see Woodpecker, Green
Pigeon, Wood, population estimate in Great Britain and the United Kingdom, 25–44
Pinicola enucleator, see Grosbeak, Pine
Pintail, Northern, population estimate in Great Britain and the United Kingdom, 25–44
Pipit, Blyth's, photographs, 56, 657, plates 23, 363–4
——, Long-billed, photograph, 605, plate 339
——, Meadow, population estimate in Great Britain and the United Kingdom, 25–44

——, Olive-backed, photograph, 596, plate 324
——, Paddyfield, recent taxonomic changes, 313
——, Pechora, British record in 1951 no longer considered acceptable, 460–4; photograph, 596, plate 325
——, Red-throated, photographs, 391, 658, plates 190, 365
——, Richard's, numbers in Britain in 2003, 129–31, plate 58; recent taxonomic changes, 313
——, Rock, population estimate in Great Britain and the United Kingdom, 25–44
——, Tawny, numbers in Britain in 2003, 129, 132–3, plate 59; British record in 1953 no longer considered acceptable, 460–4
——, Tree, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 532, plate 283
——, Water, population estimate in Great Britain and the United Kingdom, 25–44
Pitches, A., news and comment, see News and comment; review of Hume: *Life with Birds*, 326
Platalea leucorodia, see Spoonbill, Eurasian
Plectrophenax nivalis, see Bunting, Snow
Plegadis falcinellus, see Ibis, Glossy
Plover, American Golden, photographs, 541, 655, plates 284, 360
——, European Golden, population estimate in Great Britain and the United Kingdom, 25–44; in the UK in October 2003, 206–208
——, Grey, population estimate in Great Britain and the United Kingdom, 25–44
——, Kentish, numbers in Britain in 2003, 75, 84
——, Little Ringed, population estimate in Great Britain and the United Kingdom, 25–44
——, Ringed, population estimate in Great Britain and the United Kingdom, 25–44; photographs, 340, plates 167–8
Pluvialis apricaria, see Plover, European Golden
—— *dominica*, see Plover, American Golden
—— *squatarola*, see Plover, Grey
Pochard, Common, population estimate in Great Britain and the United Kingdom, 25–44
——, Red-crested, population estimate in Great Britain and the United Kingdom, 25–44
Podiceps auritus, see Grebe, Slavonian
—— *cristatus*, see Grebe, Great Crested
—— *grisegena*, see Grebe, Red-necked
—— *nigricollis*, see Grebe, Black-necked
Poecile cinctus, see Tit, Siberian
—— *lugubris*, see Tit, Sombre
—— *montanus*, see Tit, Willow
—— *palustris*, see Tit, Marsh
Pollard, A. L., Magpie foot-paddling, 369
Porter, R., photograph of 'Northern Bullfinch', 20, plate 14; review of Galvez *et al.*: *Raptors and Owls of Georgia*, 101; photograph of Anna Poyser, 106, plate 36
Porzana carolina, see Sora
—— *parva*, see Crake, Little
—— *porzana*, see Crake, Spotted
—— *pusilla*, see Crake, Baillon's
Powell, D., review of Woodhead: *From Dawn till Dusk*, 101
Poyser, Anna, obituary, 106, plate 36
Prasad, A., Common Starlings roosting in a cave, 582
Pratincole, Black-winged, British record in 1955 no longer considered acceptable, 460–4
——, Collared, British record in 1951 no longer considered acceptable, 460–4
Probst, R., is singing by escaping Sky Larks a Merlin-specific signal?, 267–8
Prowse, A. D., letter on identification of Fair Isle sandpiper – a statistical analysis, 149–51
Prunella modularis, see Dunnock
Prytherch, R., see Riddington, R., *et al.*
Prŷs-Jones, R. P., the 1885 Greenland breeding record of Ross's Gull, 208–9, plate 92
——, ——, see Kennerley, P.
Psittacula krameri, see Parakeet, Rose-ringed
—— *eupatria*, see Parakeet, Alexandrine
Ptarmigan, population estimate in Great Britain and the United Kingdom, 25–44; change to spelling of scientific name, 320
Pterocles alchata, see Sandgrouse, Pin-tailed
Pterodroma feae, see Petrel, Fea's
—— *madeira*, see Petrel, Zino's
—— *mollis*, see Petrel, Soft-plumaged
Puffin, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 148, plate 66; numbers wintering in Southwest Greenland, 282–98; recent taxonomic changes, 312
Puffinus assimilis, see Shearwater, Little
—— *baroli*, see Shearwater, North Atlantic Little
—— *mauretanicus*, see Shearwater, Balearic
—— *puffinus*, see Shearwater, Manx
—— *yelkouan*, see Shearwater, Yelkouan
Pullan, D., Short-billed Dowitcher in Northeast Scotland: new to Britain, 354–60, plates 173–5
Pycnonotus barbatus, see Bulbul, Common
Pyrrhocorax pyrrhocorax, see Chough, Red-billed
Pyrrhula pyrrhula, see Bullfinch

Quail, Common, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 389, plate 185

Radford, A. P., Dunnock eating candle wax, 158; Robin displaying at smouldering wood ember, 158; Coal Tits using peanuts in courtship feeding, 159; Goldcrests feeding on peanuts, 581
Rail, Water, population estimate in Great Britain and the United Kingdom, 25–44
Rallus aquaticus, see Rail, Water
Rarities Committee, news and announcements, 108; 225; 464
Ratcliffe, N., see Conservation research news
Raven, Brown-necked, photograph, 559, plate 310
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491
Razorbill, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 235, plate 110; numbers wintering in Southwest Greenland, 282–98; occurrence of race *torda* in Britain, 641
Read, M., photograph of 'Black Brant', 113, plate 40; of Penduline Tit, 116, plate 46; of Long-billed Dowitcher, 170, plate 72; of Hoopoe, 170, plate 74; of Alpine Swift, 278, plate 137
Recent reports: 54–58; 113–16; 169–72; 227–8; 276–8; 333–6; 388–92; 446–8; 502–4; 541–4; 592–3; 655–62
Recurvirostra avosetta, see Avocet
Redmond, N., review of Kalyakin & Voltzit: *Atlas: Birds of Moscow City and Moscow Region*, 497
Redpoll, Arctic, photographs, 278, 600, 662, plates 138, 334, 376; recent taxonomic changes, 318, plate 158; racial identification and assessment in Britain, 640
——, Common, recent taxonomic changes, 318; occurrence of races *islandica and rostrata* in Britain, 642
——, Lesser, population estimate in Great Britain and the United Kingdom, 25–44; at garden feeders, 159, 370; recent taxonomic changes, 318
Redshank, Common, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491
——, Spotted, population estimate in Great Britain and the United Kingdom, 25–44
Redstart, Black, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and

assessment in Britain, 634, photograph of 'Eastern Black Redstart', 635, plate 353
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 634–5, plates 353–4
——, Eversmann's, change to spelling of scientific name, 320
——, Güldenstädt's, change to spelling of scientific name, 320
——, White-capped Water, photograph, 616, plate 346
——, White-throated, photograph, 610, plate 340
Redwing, population estimate in Great Britain and the United Kingdom, 25–44; an exceptional movement across northwest England in October 2004, 60–66, plate 29
Regulus ignicapilla, see Firecrest
—— *madeirensis*, see Firecrest, Madeira
—— *regulus*, see Goldcrest
—— *r. teneriffae*, see Goldcrest, Tenerife
Rehfisch, M. M., see Baker, H., *et al.*
Remiz pendulinus, see Tit, Penduline
Requests: 148; 224–5; 386–7; 446; 501; 516; 540; 561; 591; 654
Reszeter, G., photograph of Upland Sandpiper, 55, plate 19; of 'American Black Tern', 451, plate 233; of Black Tern, 459, plate 245
Reviews
Alfadhel: *Birds of Kuwait: a portrait*, 219–20
Armstrong: *Time to Stare: wildlife in a corner of Britain*, 378
Ballance: *A History of the Birds of Somerset*, 650
Brooke: *Albatrosses and Petrels across the World*, 496–7
Burton: *Aig an Oir/At the Edge*, 218
Busby: *Landmarks and Sea Wings*, 219
Carswell *et al.*: *The Bird Atlas of Uganda*, 377–8
Constantine & The Sound Approach: *The Sound Approach to Birding: a guide to understanding bird sound*, 584–5
Couzens: *Birds: a complete guide to all British and European species*, 161
del Hoyo *et al.*: *Handbook of the Birds of the World*, Vol. 10, 215
Ferguson-Lees & Christie: *Raptors of the World: a field guide*, 215–6
Galvez *et al.*: *Raptors and Owls of Georgia*, 101
Gerrard: *The Great Fen: artists for nature in England*, 583
Gibbon Multimedia: *RSPB Birds of Britain & Ireland* (CD), 163
Gibson: *The Bedside Book of Birds: an avian compendium*, 218
Glenn: *Best Birdwatching Sites in Norfolk*, 586
Gregory: *The Birds of the State of Kuwait*, 585–6
Grihault: *Dodo: the bird behind the legend*, 326–7
Hanlon: *Birding in the Fast Lane*, 650
Hansell: *Bird Nests and Construction*, 102
Hilbers: *The Nature Guide to the Białowieża Primeval Forest*, 377
Hilbers: *The Nature Guide to the Biebrza Marshes*, 377
Hilbers: *The Nature Guide to the Coto Doñana and Surrounding Coastal Lowlands*, 377
Hume: *Birds of Britain and Europe*, 378
Hume: *Life with Birds*, 326
Isenmann: *Oiseaux de Tunisie*, 162
Jenks: *A History of Devonshire Ornithology: a review of the literature*, 376
Kalyakin & Voltzit: *Atlas: Birds of Moscow City and Moscow Region*, 497
Kelcey & Rheinwald: *Birds in European Cities*, 161
Koeppel: *To See Every Bird on Earth: a father, a son and a lifelong obsession*, 649
Lang: *Atlas des Oiseaux de Normandie en Hiver*, 379
Langsbury & Ogilvie: *The Birds of Islay: a celebration in photographs*, 379
Lever: *Naturalised Birds of the World*, 327
McMillan: *Skye Birds*, 162
Message & Taylor: *Waders of Europe, Asia and North America*, 495–6
Møller: *Birds and Climate Change*, 648
Montero: *Where to Watch Birds in Spain: the 100 best sites*, 586
Moss: *Everything You Always Wanted to Know About Birds… But Were Afraid to Ask!*, 217
Nelson: *Pelicans, Cormorants and their Relatives: the Pelecaniformes*, 220
Nozedar: *The Secret Language of Birds: a treasury of myths, folklore and inspirational stories*, 376
Pitches & Cleeves: *Birds New to Britain*, 98–99
Potapov & Sale: *The Gyr Falcon*, 99–100
Ranft: *Bird Mimicry* (CD), 380
Ratcliffe: *Lapland: a natural history*, 160
Rees: *Bewick's Swan*, 583–4
Sample: *Collins Field Guide: wildlife sounds of Britain and Ireland* (book and CD), 497
Snow: *The Design and Evolution of Birds*, 649
Souza: *All the Birds of Brazil*, 585
Spierenburg: *Birds in Bhutan: status and distribution*, 379–80
Stoddart & Joyner: *The Birds of Blakeney Point*, 100
Strange & Yong: *Birds of Taman Negara: an illustrated guide and checklist*, 327
Summers-Smith: *On Sparrows and Man*, 584
Tipling: *The Birdwatcher's Guide to Digital Photography*, 648–9
Tveit *et al.*: *Fugler og Fuglafolk på Utsira*, 101
Videler: *Avian Flight*, 102
Viney *et al.*: *The Birds of Hong Kong and South China*, 216–7
Woodhead: *From Dawn till Dusk*, 101
Wright: *Merlins of the South-east Yorkshire Dales*, 217
Rhamphocoris clotbey, see Lark, Thick-billed
Rhodopechys sanguineus, see Finch, Crimson-winged
Rhodostethia rosea, see Gull, Ross's
Richardson, C., photographs of United Arab Emirates, 552, 555, 558, plates 301, 305, 308
——, W., photograph of Red Grouse, 438, plate 219
Riddington, R., review of Tveit *et al.*: *Fugler og Fuglafolk på Utsira*, 101
——, ——, *et al.*, The *BB*/BTO Best Bird Book of the Year 2005, 71–73
Riparia riparia, see Martin, Sand
Rissa tridactyla, see Kittiwake
Roberts, J., and White, S., an exceptional movement of Redwings across northwest England in October 2004, 60–66, plate 29
Robin, population estimate in Great Britain and the United Kingdom, 25–44; displaying at smouldering wood ember, 158
——, American, British records in 1955 no longer considered acceptable, 460–4; photograph, 660, plate 371
——, Indian Blue, photograph, 610, plate 341
——, Rufous Bush, consuming nectar at Saharan stopover site, 299–305
——, Rufous-tailed, on Fair Isle: new to Britain, 236–41, plates 111–14
——, Siberian Blue, at Minsmere: new to Britain, 517–20
——, White-throated, on Skokholm; new to Britain, 361–4; photograph, 558, plate 309
Rogers, M. J., see Fraser, P. A.
——, ——, see Wallace, D. I. M., *et al.*
Roller, European, numbers in Britain in 2003, 75, 89;

photographs, 542, 658, plates 288, 362
Rook, population estimate in Great Britain and the United Kingdom, 25–44
Roosting: Marsh Harrier, 367–8, plate 178; Eurasian Bittern, 174–82, plates 79–84; Common Starling, 582, 648
Rosefinch, Common, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 144–6, plate 65
Roselaar, C. S., the boundaries of the Palearctic region, 602–19, plates 337–47
Rowlands, S., photograph of Common Crane and Whooper Swan, 390, plate 188
Rubythroat, Siberian, photographs, 56, 658, plates 24, 366
Ruff, population estimate in Great Britain and the United Kingdom, 25–44

Salewski, V., *et al.*, nectarivory of Palearctic migrants at a stopover site in the Sahara, 299–305, plates 152–4
Salovarov, V., see Kuznetsova, D.
Sanderling, population estimate in Great Britain and the United Kingdom, 25–44
Sanders, J. G., Northern Gannets soaring, 576
Sandgrouse, Pin-tailed, change to spelling of scientific name, 320
Sandpiper, Baird's, British records in 1955 no longer considered acceptable, 460–4; photograph, 594, plate 320
——, Buff-breasted, numbers in Britain in 2003, 75, 86; photograph, 595, plate 322
——, Common, population estimate in Great Britain and the United Kingdom, 25–44
——, Curlew, population estimate in Great Britain and the United Kingdom, 25–44
——, Green, population estimate in Great Britain and the United Kingdom, 25–44
——, Least, British record in 1957 no longer considered acceptable, 460–4; photograph, 593, plate 318
——, Marsh, British record in 1951 no longer considered acceptable, 460–4
——, Pectoral, numbers in Britain in 2003, 75, 85–86; photograph, 594, plate 321
——, Purple, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 292, 147
——, Semipalmated, photographs, 54, 446, plates 18, 226
——, Spotted, change to spelling of scientific name, 320; photograph, 541, plate 285
——, Stilt, recent taxonomic changes, 310
——, Upland, photograph, 55, plate 19
——, Western, British record in 1956 no longer considered acceptable, 460–4
——, White-rumped, photographs, 502–3, 593, plates 263–4, 319
——, Wood, population estimate in Great Britain and the United Kingdom, 25–44
Sangster, G., see Collinson, M., *et al.*
Sant, N., photograph of Indian Blue Robin, 610, plate 341
Saxicola rubetra, see Whinchat
Saxicola torquatus, see Stonechat, Common
Scaup, Greater, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 307–8
——, Lesser, photographs, 114, 169, plates 41, 70
Schlageter, A., see Salewski, V., *et al.*
Schmoker, B., photographs of 'American Black Tern', 456–7, plates 240, 243
Schofield, R., review of Souza: *All the Birds of Brazil*, 585
Scolopax rusticola, see Woodcock
Scoter, Black, taxonomic status, 183–201, plates 88–89; recent taxonomic changes, 308
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; taxonomic status, 183–201, plate 85; recent taxonomic changes, 308
——, Surf, numbers in Britain in 2003, 75, 78–79; taxonomic status, 183–201, plate 87
——, Velvet, population estimate in Great Britain and the United Kingdom, 25–44; taxonomic status, 183–201, plate 90; recent taxonomic changes, 308
——, White-winged, taxonomic status, 183–201, plates 86, 91; recent taxonomic changes, 308
Scott, B., review of Montero: *Where to Watch Birds in Spain: the 100 best sites*, 586
——, M., photograph of American Golden Plover, 541, plate 284; of Isabelline Shrike, 599, plate 332
Seiurus aurocapilla, see Ovenbird
Sellers, R. M., breeding population estimate for Northern Wheatear in Britain, 533–5; male Common Chaffinches apparently trying to mate with incapacitated female, 535
Serin, European, numbers in Britain in 2003, 129, 143–4, plate 64
Serinus citrinella, see Finch, Citril
—— *corsicanus*, see Finch, Corsican
—— *serinus*, see Serin, European
Shag, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 625
Sharrock, J. T. R., foot-slapping by Common Coot, 154–5
Shaw, D. N., photographs of 'Northern Bullfinch', 8–9, plates 7, 10; of 'Black-throated Thrush', 57, plate 26; Rufous-tailed Robin on Fair Isle: new to Britain, 236–41, plates 111–14; photograph of Aquatic Warbler, 598, plate 329
——, K. D., see Glass, T., *et al.*
Shearwater, Balearic, recent taxonomic changes, 308
——, Cory's, numbers in Britain in 2003, 75, 79; racial identification and assessment in Britain, 625
——, Little, recent taxonomic changes, 308–9
——, Manx, population estimate in Great Britain and the United Kingdom, 25–44
——, North Atlantic Little, British record in 1951 no longer considered acceptable, 460–4
——, Yelkouan, recent taxonomic changes, 308
Shelduck, Common, population estimate in Great Britain and the United Kingdom, 25–44; young one killed by a Tufted Duck, 153
——, Ruddy, population estimate in Great Britain and the United Kingdom, 25–44
Shoveler, population estimate in Great Britain and the United Kingdom, 25–44
Shrike, Great Grey, numbers in Britain in 2003, 129, 140–1, plate 62
——, Isabelline, recent taxonomic changes, 317; photographs, 599, 661, plates 332, 374
——, Lesser Grey, recent taxonomic changes, 317; photograph, 448, plate 230
——, Masked, new to Britain, 67–70, plates 30–31
——, Red-backed, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 140; photographs, 392, 504, plates 192, 268
——, Southern Grey, eating African Desert Locusts, 491
——, Woodchat, numbers in Britain in 2003, 129, 142; photograph, 336, plate 165; racial identification and assessment in Britain, 639
Siddle, J. P., letter on which subspecies of Common Stonechat breeds in coastal Portugal, 372, plates 179–82
Siskin, population estimate in Great Britain and the United Kingdom, 25–44
Sitta europaea, see Nuthatch, Eurasian
Skua, Arctic, population estimate in Great Britain and the United Kingdom, 25–44
——, Great, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 310

——, Long-tailed, recent taxonomic changes, 310; photograph, 542, plate 286; racial identification and assessment in Britain, 628–9
Smaldon, R., review of Jenks: *A History of Devonshire Ornithology: a review of the literature*, 376
Smew, population estimate in Great Britain and the United Kingdom, 25–44
Smith, K. W., see Conservation research news
——, W. E., moulting Common Eiders devoured by Killer Whales, 264
Snell, R., photograph of Marsh Harrier, 436, plate 216
Snipe, Common, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 627
——, Jack, population estimate in Great Britain and the United Kingdom, 25–44
Somateria mollissima, see Eider, Common
—— *spectabilis*, see Eider, King
Sora, photographs, 227, plates 99–100
Sparrow, Desert, consuming nectar at Saharan stopover site, 299–305
——, House, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491
——, Sudan Golden, consuming nectar at Saharan stopover site, 299–305
——, Tree, population estimate in Great Britain and the United Kingdom, 25–44
——, White-throated, photograph, 392, plate 193
Sparrowhawk, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; polygyny, 265–6, plates 128–9; hunting technique used when attempting to catch a Common Swift, 368
Sparrow-lark, Chestnut-headed, change to spelling of scientific name, 320
Spoonbill, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 502, plate 262
Spray, C., review of Rees: *Bewick's Swan*, 583–4
Stansfield, S., photograph of Blyth's Pipit, 56, plate 23
Starling, Common, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491; roosting in a cave, 582; killing and feeding scorpion to its young, 582; racial identification and assessment in Britain, 640
——, Rose-coloured, numbers in Britain in 2003, 129, 142–3, plate 63; photograph, 599, plate 333
——, Spotless, eating African Desert Locusts, 491
Steele, B., photograph of White-winged Scoter, 188, plate 86; of Surf Scoter, 190, plate 87
——, J., review of identification of Fea's, Zino's and Soft-plumaged Petrels, 404–19, plates 203–6
Steiof, K., letter on birds and windfarms: what are the real issues?, 45–6
Stercorarius longicaudus, see Skua, Long-tailed
—— *parasiticus*, see Skua, Arctic
—— *skua*, see Skua, Great
Sterna bengalensis, see Tern, Lesser Crested
—— *dougallii*, see Tern, Roseate
—— *hirundo*, see Tern, Common
—— *paradisaea*, see Tern, Arctic
—— *repressa*, see Tern, White-cheeked
—— *sandvicensis*, see Tern, Sandwich
Sternula albifrons, see Tern, Little
—— *saundersi*, see Tern, Saunders's
Stilt, Black-winged, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 390, plate 188
Stint, Little, population estimate in Great Britain and the United Kingdom, 25–44
——, Temminck's, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 75, 84–85
Stirrup, S., photograph of Laughing Gull, 55, plate 20
Stonechat, Common, population estimate in Great Britain and the United Kingdom, 25–44; change to spelling of scientific name, 320; which subspecies of Common Stonechat breeds in coastal Portugal?, 372, plates 179–82; racial identification and assessment in Britain, 635–6
Stone-curlew, population estimate in Great Britain and the United Kingdom, 25–44
Stork, Black, British records in 1956 and 1957 no longer considered acceptable, 460–4
——, White, numbers in Britain in 2003, 75, 80–81
Storm-petrel, European, population estimate in Great Britain and the United Kingdom, 25–44
——, Leach's, population estimate in Great Britain and the United Kingdom, 25–44
Streptopelia decaocto, see Dove, Collared
—— *turtur*, see Dove, Turtle
Stroud, D. A., see Baker, H., *et al.*
——, ——, see Fox, A. D., *et al.*
Sturnus roseus, see Starling, Rose-coloured
—— *unicolor*, see Starling, Spotless
—— *vulgaris*, see Starling, Common
Summers, R., patterns of nest attendance by a pair of Parrot Crossbills, 562–8, plates 311–12
Swallow, Barn, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 632
——, Cliff, recent taxonomic changes, 312
——, Red-rumped, recent taxonomic changes, 312–13, plate 156; photograph, 543, plate 289
Swan, Bewick's, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 307; racial identification and assessment in Britain, 622
——, Mute, population estimate in Great Britain and the United Kingdom, 25–44
——, Whooper, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 390, plate 187
Swift, Alpine, photograph, 278, plate 137
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; attempted hunting by Eurasian Sparrowhawk, 368; emitting ultrasound?, 579; racial identification and assessment in Britain, 631
——, Pallid, photograph, 56, plate 22
Sylvia atricapilla, see Blackcap
—— *borin*, see Warbler, Garden
—— *cantillans*, see Warbler, Subalpine
—— *communis*, see Whitethroat, Common
—— *conspicillata*, see Warbler, Spectacled
—— *curruca*, see Whitethroat, Lesser
—— *deserti*, see Warbler, African Desert
—— *deserticola*, see Warbler, Tristram's
—— *hortensis*, see Warbler, Orphean
—— *leucomelaena*, see Warbler, Arabian
—— *melanocephala*, see Warbler, Sardinian
—— *melanothorax*, see Warbler, Cyprus
—— *mystacea*, see Warbler, Ménétries's
—— *nana*, see Warbler, Asian Desert
—— *nisoria*, see Warbler, Barred
—— *rueppelli*, see Warbler, Rüppell's
—— *sarda*, see Warbler, Marmora's
—— *undata*, see Warbler, Dartford
Syroechkovski, Eugeny E., obituary, 273–4, plate 131

Tachybaptus ruficollis, see Grebe, Little
Tadorna ferruginea, see Shelduck, Ruddy
—— *tadorna*, see Shelduck, Common
Tarsiger cyanurus, see Bluetail, Red-flanked

Tate, A., photograph of Sabine's Gull, 87, plate 33; of Sociable Lapwing, 114, plate 42; of European Serin, 144, plate 64
Taylor, H., photograph of Ross's Gull, 209, plate 92; of Gray's Grasshopper Warbler, 514, plate 276
——, M., juvenile Wrens singing in their first summer, 157
Tchagra senegalus, see Tchagra, Black-crowned
Tchagra, Black-crowned, change to spelling of scientific name, 320
Teal, Blue-winged, photograph, 333, plate 159
——, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 307
——, Green-winged, numbers in Britain in 2003, 75, 77; recent taxonomic changes, 307
Tern, Aleutian, recent taxonomic changes, 310
——, 'American Black', at Weston-super-Mare: new to Britain, 450–9, plates 231–45; photographs, 504, plates 266–7; racial identification and assessment in Britain, 630
——, Arctic, population estimate in Great Britain and the United Kingdom, 25–44
——, Bridled, recent taxonomic changes, 310
——, Caspian, recent taxonomic changes, 310
——, Common, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 148, plate 67; incubating an empty nest, 155–7; apparently feeding on oilseed rape, 369
——, Gull-billed, recent taxonomic changes, 310
——, Lesser Crested, photographs, 554, plates 303–4
——, Little, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 310; racial identification and assessment in Britain, 630
——, Roseate, population estimate in Great Britain and the United Kingdom, 25–44
——, Sandwich, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 630
——, Saunders's, recent taxonomic changes, 310; photograph, 556, plate 306
——, Sooty, recent taxonomic changes, 310; British records in 1951 and 1954 no longer considered acceptable, 460–4
——, Whiskered, change to spelling of scientific name, 320; photograph, 656, plate 361
——, White-cheeked, photograph, 548, plate 296
——, White-winged Black, photograph, 391, plate 189
Tetrao tetrix, see Grouse, Black
—— *urogallus*, see Capercaillie
Thalassarche melanophris, see Albatross, Black-browed
Thelwell, D., White-throated Robin on Skokholm; new to Britain, 361–4
Thoburn, G., photograph of Cattle Egret, 169, plate 71; of Laughing Gull, 170, plate 73; of Marbled Duck, 592, plate 317
Thrush, Blue Rock, eating African Desert Locusts, 491
——, Chestnut, photograph, 612, plate 342
——, Dark-throated, photographs of 'Black-throated', 57, 171, plates 26, 75–76
——, Grey-cheeked, photograph, 57, plate 25
——, Hermit, photograph, 660, plate 370
——, Mistle, population estimate in Great Britain and the United Kingdom, 25–44; defending berries from Waxwings, 158–9
——, Plain-backed, photograph, 612, plate 343
——, Song, population estimate in Great Britain and the United Kingdom, 25–44
——, White's, British record in 1952 no longer considered acceptable, 460–4
Tiberti, R., Northern Wheatears feeding on Common Frogs, 268
Tigges, U., do Common Swifts emit ultrasound?, 579
Tipling, D, photograph of 'Northern Bullfinch', 8, plate 8; of Redwing, 66, plate 29; of Lesser Scaup, 169, 70; of Common Scoter, 187, plate 85; of Arctic Redpoll, 318, plate 158; of Osprey, 382, plate 183; of Pied Flycatcher, 479, plate 249
——, ——, see Chandler, R., *et al.*
Tipper, R., photograph of Red-rumped Swallow, 313, plate 156
Tit, Azure, recent taxonomic changes, 317
——, Bearded, population estimate in Great Britain and the United Kingdom, 25–44
——, Black-browed, photograph, 616, plate 345
——, Blue, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 317
——, Coal, population estimate in Great Britain and the United Kingdom, 25–44; using peanuts in courtship feeding, 159; recent taxonomic changes, 317; occurrence of race *ater* in Britain, 642
——, Crested, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 317, plate 157; racial identification and assessment in Britain, 639
——, Great, population estimate in Great Britain and the United Kingdom, 25–44; functions of egg patterning, 338–53, plates 166, 170
——, Long-tailed, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 638–9, plate 355
——, Marsh, population estimate in Great Britain and the United Kingdom, 25–44; an example of polygyny, 211–12
——, Penduline, photographs, 116, 272, plates 46, 130
——, Siberian, recent taxonomic changes, 317
——, Sombre, recent taxonomic changes, 317
——, Willow, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 317; racial identification and assessment in Britain, 639
Todiramphus chloris, see Kingfisher, Collared
Todisco, S., see Panuccio, M., *et al.*
Tout, P., letter on Lady Amherst's Pheasants in Britain, 205
Towll, H., review of Busby: *Landmarks and Sea Wings*, 219
Treecreeper, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44; occurrence of race *familiaris* in Britain, 642
Tringa erythropus, see Redshank, Spotted
—— *glareola*, see Sandpiper, Wood
—— *melanoleuca*, see Yellowlegs, Greater
—— *nebularia*, see Greenshank, Common
—— *ochropus*, see Sandpiper, Green
—— *stagnatilis*, see Sandpiper, Marsh
—— *totanus*, see Redshank, Common
Troglodytes troglodytes, see Wren
Tropicbird, Red-billed, photograph, 553, plate 302
Tryngites subruficollis, see Sandpiper, Buff-breasted
Turdoides caudata, see Babbler, Common
——, *fulva*, see Babbler, Fulvous
Turdus iliacus, see Redwing
—— *merula*, see Blackbird
—— *migratorius*, see Robin, American
—— *philomelos*, see Thrush, Song
—— *pilaris*, see Fieldfare
—— *rubrocanus*, see Thrush, Chestnut
—— *ruficollis*, see Thrush, Dark-throated
—— *torquatus*, see Ouzel, Ring
—— *viscivorus*, see Thrush, Mistle
Turnix sylvaticus, see Button-quail, Small
Turnstone, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 628
Twite, population estimate in Great Britain and the United

Kingdom, 25–44
Tyto alba, see Owl, Barn

Ullman, M., African Desert Locusts in Morocco in November 2004, 489–91, plates 258–60
Upupa epops, see Hoopoe
Uria aalge, see Guillemot, Common
—— *lomvia*, see Guillemot, Brünnich's

Van den Berg, A., photograph of 'Northern Bullfinch' and Central European Bullfinch, 7, plate 6
Vanellus gregarius, see Lapwing, Sociable
—— *vanellus*, see Lapwing, Northern
Vireo olivaceus, see Vireo, Red-eyed
Vireo, Red-eyed, photograph, 661, plate 375
Voice: Common Swift, 579; Sky Lark, 267–8; Wren, 157; Willow Warbler, 580
Vulture, Egyptian, northward migration at Strait of Gibraltar, 570–1
——, Griffon, threatened by EU legislation?, 374–5; photograph, 438, plate 218; northward migration at Strait of Gibraltar, 571
——, Rüppell's, northward migration at Strait of Gibraltar, 573–4, plate 314

Wagtail, Citrine, photograph, 596, plate 326
——, Grey, population estimate in Great Britain and the United Kingdom, 25–44
——, White/Pied, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 633–4
——, Yellow, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 632, plate 351
Wallace, D. I. M., *et al.*, a review of the 1950–57 British rarities, 460–4
Walsh, A., see Fox, A. D., *et al.*
——, T., letter on the Fair Isle sandpiper, 46
Wanless, S., see Harris, M. P.
Warbler, African Desert, recent taxonomic changes, 314
——, Aquatic, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 133–4; photographs, 543, 598, plates 290, 329
——, Arabian, recent taxonomic changes, 314
——, Arctic, recent taxonomic changes, 315; photographs, 599, 660, plates 331, 372
——, Asian Desert, recent taxonomic changes, 314
——, Australian Reed, recent taxonomic changes, 314
——, Barred, numbers in Britain in 2003, 129, 136; recent taxonomic changes, 314; taking nectar on autumn migration in Shetland, 579–80
——, Basra Reed, recent taxonomic changes, 314
——, Blyth's Reed, photograph, 598, plate 330
——, Booted, recent taxonomic changes, 314
——, Brooks's Leaf, numbers in Britain in 2003, 129, 136–7, plate 60
——, Canada, photograph, 662, plate 377
——, Cape Verde, recent taxonomic changes, 314
——, Cetti's, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 636
——, Clamorous Reed, recent taxonomic changes, 314
——, Cyprus, recent taxonomic changes, 314
——, Dartford, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 314
——, Eastern Olivaceous, consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 314; British records in 1951 and 1956 no longer considered acceptable, 460–4
——, Garden, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 314; taking nectar on autumn migration in Shetland, 579–80
——, Grasshopper, population estimate in Great Britain and the United Kingdom, 25–44; racial identification and assessment in Britain, 636
——, Gray's Grasshopper, occurrences in Europe, including a further case of Meinertzhagen fraud, 506–16, plates 269–77
——, Great Reed, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 314
——, Greenish, recent taxonomic changes, 315, 375; photographs, 544, plates 293–4; racial identification and assessment in Britain, 637
——, Hume's, photographs, 116, 172, plates 45, 77–78
——, Icterine, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 134
——, Lanceolated, British record in 1953 no longer considered acceptable, 460–4; photograph, 597, plate 328
——, Marmora's, recent taxonomic changes, 314
——, Marsh, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 129, 134–5
——, Melodious, numbers in Britain in 2003, 129, 134–5; consuming nectar at Saharan stopover site, 299–305
——, Menétries's, recent taxonomic changes, 314
——, Moustached, British records in 1951 and 1952 no longer considered acceptable, 460–4; a review of British records, 465–78, plate 248
——, Olive-tree, photograph, 544, plate 292
——, Oriental Reed, recent taxonomic changes, 314
——, Orphean, consuming nectar at Saharan stopover site, 299–305, plate 154; recent taxonomic changes, 314
——, Paddyfield, photographs, 58, 543, plates 27, 291
——, Pallas's Leaf, recent taxonomic changes, 315; photograph, 136, plate 60
——, Radde's, photograph, 661, plate 373
——, Reed, population estimate in Great Britain and the United Kingdom, 25–44; consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 313; racial identification and assessment in Britain, 636
——, Rüppell's, recent taxonomic changes, 314
——, Sardinian, consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 314
——, Savi's, population estimate in Great Britain and the United Kingdom, 25–44; photograph, 392, plate 191
——, Sedge, population estimate in Great Britain and the United Kingdom, 25–44; photographs, 468–9, plates 247–8
——, Spectacled, consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 314
——, Subalpine, photograph, 278, plate 139; consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 314; racial identification and assessment in Britain, 637
——, Sykes's, recent taxonomic changes, 314
——, Tristram's, recent taxonomic changes, 314
——, Western Bonelli's, consuming nectar at Saharan stopover site, 299–305
——, Western Olivaceous, consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 314; British records in 1951 and 1956 no longer considered acceptable, 460–4
——, Willow, population estimate in Great Britain and the United Kingdom, 25–44; Holmes, P., moult in an overwintering bird in Britain, 97; consuming nectar at Saharan stopover site, 299–305; unusual song, 580; racial identification and assessment in Britain, 638

——, Wood, population estimate in Great Britain and the United Kingdom, 25–44
——, Yellow-browed, numbers in Britain in 2003, 129, 137–8, plate 61
Warden, D., review of Hansell: *Bird Nests and Construction*, 102; of Ballance: *A History of the Birds of Somerset*, 650
Waxwing, population estimate in Great Britain and the United Kingdom, 25–44; Mistle Thrush defending berries from, 158–9
Wheatear, Black, eating African Desert Locusts, 491
——, Black-eared, British records in 1951 and 1954 no longer considered acceptable, 460–4; a review of status in the Maltese Islands, 484–9, plates 254–7
——, Cyprus, recent taxonomic changes, 313
——, Desert, British record in 1950 no longer considered acceptable, 460–4; eating African Desert Locusts, 491; photograph, 659, plate 369
——, Isabelline, photographs, 597, plate 327
——, Northern, population estimate in Great Britain and the United Kingdom, 25–44; feeding on Common Frogs, 268; breeding population estimate in Britain, 533–5
——, Pied, recent taxonomic changes, 313
——, White-crowned Black, eating African Desert Locusts, 491
Whimbrel, population estimate in Great Britain and the United Kingdom, 25–44; eating African Desert Locusts, 491; racial identification and assessment in Britain, 627–8
Whinchat, population estimate in Great Britain and the United Kingdom, 25–44
White, S., see Roberts, J.
Whitethroat, Common, population estimate in Great Britain and the United Kingdom, 25–44; consuming nectar at Saharan stopover site, 299–305; recent taxonomic changes, 314; racial identification and assessment in Britain, 637
——, Lesser, population estimate in Great Britain and the United Kingdom, 25–44; recent taxonomic changes, 314; racial identification and assessment in Britain, 636–7
Wigeon, American, numbers in Britain in 2003, 75–77
——, Eurasian, population estimate in Great Britain and the United Kingdom, 25–44
Wilson, J., see Conservation research news
——, ——, see Fox, A. D., *et al.*
——, S., see Panuccio, M., *et al.*
Wilsonia canadensis, see Warbler, Canada
Wink, M., obituary of Andreas J. Helbig, 225–6, plate 98
Wiseman, E., European Nightjar nesting on tree stump, 267
Witting, L., photograph of King Eider, 288, plate 143; of Greenland Mallard, 290, plate 145; of White-tailed Eagle, 291, plate 146; of Purple Sandpiper, 292, plate 147; of Iceland Gull, 293, plate 148; of Harlequin Duck, 295, plate 150; of Common Eider, 298, plate 150
Wood, John Duncan, obituary, 387–8
Woodcock, population estimate in Great Britain and the United Kingdom, 25–44
Woodcock, M., review of Stoddart & Joyner: *The Birds of Blakeney Point*, 100; obituary of Richard Fitter, 109–11, plate 37; review of Ratcliffe: *Lapland: a natural history*, 160
Woodpecker, Great Spotted, population estimate in Great Britain and the United Kingdom, 25–44; nesting in Yew, 157; photograph, 349, plate 172; racial identification and assessment in Britain and occurrence of race *major*, 631, 641
——, Green, population estimate in Great Britain and the United Kingdom, 25–44
——, Lesser Spotted, population estimate in Great Britain and the United Kingdom, 25–44
Wotton, S., see Conservation research news
Wren, population estimate in Great Britain and the United Kingdom, 25–44; juveniles singing in their first summer, 157; juveniles fed by Common Chiffchaff, 268
Wryneck, population estimate in Great Britain and the United Kingdom, 25–44; numbers in Britain in 2003, 75, 9091, plate 35
Wynn, R., photograph of Arctic Redpoll, 600, plate 334

Yellowhammer, population estimate in Great Britain and the United Kingdom, 25–44
Yellowlegs, Greater, British record in 1953 no longer considered acceptable, 460–4
Yip, M., photograph of 'American Black Tern', 457, plate 242
Young, S., photograph of Masked Shrike, 69, plate 3; of Ring-billed Gull, 88, plate 34; of Wryneck, 90, plate 35; of Rose-coloured Starling, 143, plate 63; of Short-billed Dowitcher, 355, plates 173–5; of Black-headed Gull, 439, plate 221; of Black Tern, 458, plate 244; of Glossy Ibis, 655, plate 359

Zöckler, C., obituary of Eugeny E. Syroechkovski, 273–4, plate 131
Zonotrichia albicollis, see Sparrow, White-throated
—— *leucophrys*, see Sparrow, White-crowned
Zoothera dauma, see Thrush, White's
—— *mollissima*, see Thrush, Plain-backed

List of illustrations

Pages

2 Northern Bullfinch (*Alan Harris*)
25 Goldfinch (*Rosemary Watts-Powell*)
60 Redwings (*Alan Harris*)
174 Eurasian Bittern (*Alan Harris*)
183 Common Scoters and Velvet Scoter (*Dan Powell*)
361 White-throated Robin (*David Thelwell*)
460 'Free at last!' (*D. I. M. Wallace*)
465 The Cambridgeshire warblers (*Alan Harris*)
619 'Black-headed Wagtail' (*Dan Powell*)
628 'Hudsonian Whimbrel' (*Dan Powell*)
640 Western Jackdaw (*Dan Powell*)
645 'Northern Long-tailed Tits' (*Dan Powell*)